

T. Baker

70

69

25

(RST)

- Darjeeling Pied Woodpecker
- Golden Bush Robin
- Long-tailed Mountain Thrush
- Grey Winged Blackbird
- Dark-throated Thrush
- Goldcrest
- Striated Laughing Thrush
- Fire-tailed Myzornis
- Cutia
- Hoary Barwing
- White-tailed Nuthatch
- Nepal Treecreeper
- Nepal Rosefinch

✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓

9th ICSI.

BAKER (IASI)

INDIAN POND

(Phewa Tal);

'few', 5th (B).

CATTLE EGRET (*Bubulcus ibis*): 'Several', 5th (Phewa Tal); 'few', 5th (B).

LITTLE EGRET (*Egretta garzetta*): 'few', 5th (Phewa Tal).

WOOLY-NECKED STORK (*Ciconia episcopus*): 1, 1st (B).

TEAL (*Anas crecca*): 50+, 5th (Phewa Tal).

MALLARD (*A. platyrhynchos*): 9, 23rd.

POUGHARD (*Aythya ferina*): 3, 5th (Phewa Tal).

BLACK KITE (*Milvus milvans*): 'Several', 21st; 'few', Pokhara and 1, 3rd, 22nd;

1, 23rd; 1, 25th; 1, 1st; 1, 2nd; 1, 3rd; 10+, 4th; 'many', 5th ('several', 6th; (B).

NOTES FROM INDIA AND NEPAL: JANUARY 19th - MARCH 9th 1961.JOMOSOM TRIP.

21st February: 'Bus; Kathmandu to Pokhara. (B) = 'Bus.

22nd February: 'Plane; Pokhara to Jomosom.

23rd February: Jomosom (including, Thibigton).

24th February: Jomosom and Kagbeni.

25th February: Kagbeni and Muktinath.

26th February: Muktinath to Thorong Pass and back.

27th February: Muktinath to Jomosom.

28th February: Jomosom to Kalopani.

1st March: Kalopani to Tatopani.

2nd March: Tatopani to Ghorapani.

3rd March: Ghorapani to Bille.

4th March: Bille to Nanda.

5th March: Nanda to Phewa Tal via Phewa Tal.

6th March: 'Bus; Pokhara to Kathmandu. (B) = 'Bus.

INDIAN POND HERON (*Ardeola grayii*): 'Several', 21st; 'Few', 5th (Phewa Tal);

'few', 5th (B).

CATTLE EGRET (*Bubulcus ibis*): 'Several', 5th (Phewa Tal); 'Few', 5th (B).

LITTLE EGRET (*Egretta garzetta*): 'Few', 5th (Phewa Tal).

WOOLY-NECKED STORK (*Ciconia episcopus*): 1, 21st (B).

TEAL (*Anas crecca*): 50+, 5th (Phewa Tal).

MALLARD (*A. platyrhynchos*): 0, 23rd.

POCHARD (*Aythya ferina*): 3, 5th (Phewa Tal).

BLACK KITE (*Milvus milvus*): 'Several', 21st; 'Few', Pokhara and 1, Jomosom, 22nd;

1, 23rd; 1, 28th; 1, 1st; 1, 2nd; 1, 3rd; 10+, 4th; 'many', 5th 'several', 5th; (B).

- EGYPTIAN VULTURE (*Neophron percnopterus*): 'Many', Ist (Fokhru); I, Ist (Dana); IO+, 4th; I, 5th.
- LALMADLER (*Gypsetus barbatus*): 2, 2nd (Jomon); I, 2nd; I, 3th; I, 30th; I, 27th; I, 28th; 3, 1st; P 1F, 2nd (Sikha); I, 5th (Akski).
- HIMALAYAN GRIFFON VULTURE (*Gymhimalayensis*): 'New', 2nd (Jomon); 7, 25th; 6, 27th; 3, 1th; 'Many', Ist; 'Several', 2nd; IO, 4th.
- GRIFFON VULTURE (*G. fulvus*): 3, 5th (Akski).
- RED-HEADED VULTURE (*Sarcogyps calvus*): I, 2nd (S); 2, Ist (Dana); I, 2nd (Sikha); I, 4
- (Birchenti).
- BLACK VULTURE (*Aegypius non-cassini*): I, 1st; 2th; I, 4th (Mhru).
- CRESTED SERPENT EAGLE (*Eurypyga castro*): 2, 1st (Chandrakot and H Winda).
- NEW HARRIER (*Circus cygnus*): I, 2nd (Gleri); 3, 5th.
- ACCIPITER SPECIES: I, 2nd (Posh); 2, 1st; 3, 5th.
- GOSHAWK (*A. gentilis*): I, Ist (Dana).
- SPARROWHAWK (*A. nisus*): I, 3rd; 1, 5th; I, Ist (Dana).
- CRESTED GOSHAWK (*A. triv. castro*): I, 2nd (Lokopni).
- LONG-LEGGED BUZZARD (*Buteo rufinus*): 2, 5th (Kasi).
- BLACK EAGLE (*Tetinetus malayensis*): I, 3rd.
- STEPPE EAGLE (*Aquila nipalensis*): 2, Ist (Dana); 3, 3rd (Chorponi); 3, 4th; 3, 5th (Akski).
- GOLDEN EAGLE (*A. chrysaetos*): 5th (different), 20th and 27th.
- RED-THINNED FALCONET (*Microhierax everetti*): I, 5th (New TAD).
- KESTREL (*Falco tinnunculus*): I, 2nd; 3, Ist; I, 1st (Hille); 3, 4th; I, 4th (S).
- PEREGRINE FALCON (*F. peregrinus*): I, 2nd (Jomon).
- TIBETAN BEE-EATER (*Petrochelidon tibetana*): 1st, 2th.
- CHUCKAR (alcedoris chukar): IO+, 2nd; 'Many', 2th and 5th.
- WHITE-BELLIED NESTER (*Amprol. monticola*): 1, 5th ().
- LITTLE REDD FLOWER (*Corcorix dubia*): 1st, 5th (New TAD).
- RIVER FLY-CATCHER (*Hoplopterus duv*): 2, 3th (New TAD).

- RED-WATTLED PLOVER (*Hoplosternus indicus*): 10+, 5th (Pheva Tal); 2, 5th (B).
- SOLITARY SHrike (*Collinza solitaria*): 3, 27th (Muktinath).
- GREENSHANK (*Tringa acularis*): 1, 5th (Pheva Tal).
- GREEN SANDPIPER (*T. ochropus*): 3, 5th (Pheva Tal).
- COMMON SANDPIPER (*Actitis hypoleucos*): 1, 24th; 1, 27th.
- HERALD PIGEON (*Columba livia*): 'May', 21st; c100, apparently 'pure', 24th; 50, 28th; 'muy', 5th.
- HILL PIGEON (*C. rupestris*): c30, 20th.
- RUFIOUS TURTLE DOVE (*Streptopelia orientalis*): 1, 2nd (Hilleri); 1, 4th (Birethanti); 1, 5th.
- SPOTTED DOVE (*S. chinensis*): 1, 5th.
- SLATE-HEADED PARAKEET (*Ptilinopus banyana*): 0, 2nd (Hille); 30, 4th (Hille).
- BLOSSOM-HEADED PARAKEET (*P. cyanocephala*): 3, 5th (B).
- COMMON HAWK-CUCKOO (*Hierococcyz varius*): 34, 5th (Pheva Tal).
- LARGE HAWK-CUCKOO (*H. spurveioides*): 1, 4th (Mudanda).
- SPOTTED SCOPS OWL (*Otus spillocephalus*): Song, 3rd (Hille); song, 4th (Mudanda).
- ASIAN BARRED GOLET (*Glaucidium cuculoides*): 1, 2nd (Shara); 3 (song), 4th (Hille).
- LITTLE OWL (*Athene noctua*): 'Heard', 22nd (Syng).
- BROWN WOOD OWL (*Strix leptogrammic*): song at Shorani on 2nd probably of this species; 'loud and mellow but quite unhigh-toned. Disyllabic; the second syllable an echo of the first. Both syllables short. 'Wood - wood', 'woo - oo' or 'where - to', a slightly interrogative; repeated at 10-15 second intervals. answered by a similar call in a lower key descending on the second syllable.
- LITTLE SWIFT (*apus affinis*): c30, 1st; c50, 2nd (Tatopani); c40, 3rd (Hille); 30, 5th.
- ~~MAKINAKIKINAKI (MANYIA ANABRINIA) 4th (Hiratauni)~~
- OHYANA KINGFISHER (*Halcyon amynensis*): 1, 21st (B); 3, 5th (Pheva Tal); 3, 5th (B).
- KINGFISHER (*Alcedo atthis*): 1, 4th (Birethanti); 3, 5th (Pheva Tal).
- CRESTED KINGFISHER (*Ceryle lugubris*): 1, 4th (Birethanti).
- GREEN BEE-EATER (*Merops orientalis*): 'few', 5th (B).

- INDIAN ROLLER (*Coracian benghalensis*): 'Several', 21st (B); 3+, 5th (Kaski).
- GREAT BARBET (*Megalaima virens*): 2 (Hille) and song (Naudanda), 4th; 'common', 5th.
- BLUE-THROATED BARBET (*M. asiatica*): 'Heard', 5th (Pokhara).
- COPPERSMITH BARBET (*M. haemacephala*): 2, 5th (Pokhara); 'song', 6th (Pokhara).
- LESSER YELLOW-NAPED WOODPECKER (*Picus chlorolophus*): 1, 4th (Naudanda).
- GREY-HEADED WOODPECKER (*P. canus*): 1, 5th (Kaski).
- FULVOUS-BREASTED PIED WOODPECKER (*Dendrocopos macei*): 1, 21st (B); 2, 2nd (Chitre).
- HORNED LARK (*Eremophila alpestris*): 10, 25th (Kagbeni).
- CRAG MARTIN (*Ptyonoprogne rupestris*): 3, 22nd (Jomolom); 1, 25th (Kagbeni).
- SWALLOW (*Hirundo rustica*): 'few', 21st (B); 30+, 4th; 'several', 5th; 'few', 6th (B).
- RED-RUMPED SWALLOW (*H. daurica*): 'Several', 21st (B); 4, 2nd (Ghara);
1, 4th (Naudanda); 3, 5th; 'many', 6th (B).
- NEPAL HOUSE MARTIN (*Delichon nipalensis*): 1, 21st; (Pokhara).
- HOUSE MARTIN (*D. urbica*): 2, 2nd (Tatopani).
- RICHARD'S PIPIT (*Anthus novaeseelandiae*): 1, 21st; 'several', 5th.
- OLIVE-BACKED PIPIT (*A. hodgsoni*): 'few', 21st; 'many', 2nd; 'several', 3rd; 'many', 4th;
'many', 5th.
- ROSY PIPIT (*A. roseatus*): 3, 25th; 2, 27th.
- GREY WAGTAIL (*Motacilla cinerea*): 2, 21st; 1, 27th; 4, 28th; 'several', 1st;
2, 2nd; 1, 4th (Birethanti); 'few', 5th.
- WHITE WAGTAIL (*M. alba*): 'few', 21st; 'several', 22nd; 1, 25th (Kagbeni); 4, 28th;
'few', 2nd; 'few', 5th.
- LARGE WOODSHRIKE (*Tephrodornis virgatus*): 1, 1st (Dana).
- BLACK-WINGED CUCKOO-SHRIKE (*Coracina melaschistos*): 1, 5th (Kaski).
- LARGE CUCKOO-SHRIKE (*C. novaehollandiae*): 1, 5th (Kaski).
- SCARLET MINIVET (*Pericrocotus flammeus*): 2 pairs, 1st (Lete); pair, 5th (Kaski).
- LONG-TAILED MINIVET (*P. ethologus*): 2, 4th (Khare); pair, 5th (Naudanda).
- WHITE-CHEEKED BULBUL (*Pycnonotus leucogenys*): 'Several', 1st (Dana); 5+, 2nd (Ghara);
'few', 3rd (Ulleri); 'several', 4th; 'few', 5th.
- RED-VENTED BULBUL (*P. cafer*): 'Several', 21st; 1, 22nd (Pokhara); 10+, 2nd (Ghara);
'few', 5th.

- BLACK BULBUL (*Hypsites madagascariensis*): 'Several', 1st (Dana); 'many', 2nd (Tatopani); 'few', 3rd (Ulleri); 'few', 4th; 'several', 5th.
- BROWN DIPPER (*Cinclus pallasii*): 2, 1st.
- WREN (*Troglodytes troglodytes*): I, 22nd (Jomosom); I, 23rd; 'heard', 24th; 3, 25th; I, 26th; 4, 27th; 'several', 28th; I, 2nd (Ghorapani); I, 3rd (Ghorapani).
- BROWN ACCENTOR (*Prunella fulvescens*): 4, 22nd; 30+, 23rd; 22+, 24th; 15+, 25th (Kagbeni); 3, 28th, (Murpha).
- ROBIN ACCENTOR (*P. rubeculoides*): I, 23rd; I, 24th (Kagbeni); 4, 25th; 8, 26th; 4, 27th.
- RED-FLANKED BLUETAIL (*Tarsiger cyanurus*): 2, 2nd; I, 4th (Naudanda).
- ASIAN MAGPIE-ROBIN (*Copsychus saularis*): I, 23th (Kalopani); I, 4th (Khare); 'several', 5th.
- EVERSMANN'S REDSTART (*Phoenicurus erythronotus*): 5, 24th (Jomosom).
- HODGSON'S REDSTART (*P. hodgsoni*): I, 24th (Jomosom); 3, 28th (Kalopani).
- BLUE-FRONTED REDSTART (*P. frontalis*): 'Several', 2nd and 3rd; I, 4th; 2, 5th.
- WHITE-THROATED REDSTART (*P. schisticeps*): 7, 23rd; 2, 24th (Kagbeni); 3, Kagbeni and I, Khingar, 25th; 3, 27th (Suktinath and Khingar).
- GULDENSTADT'S REDSTART (*P. erythrogastrus*): 15, 23rd; 3, 24th (Kagbeni); 4, 25th (Kagbeni); 2, 26th; 3, 27th.
- PLUMBEOUS REDSTART (*Rhyacornis fuliginosus*): 2, 21st (Pokhara); 2, 28th (Kalopani); 4, 1st; 'few', 2nd; I, 3rd (Hille); 'many', 4th (Birethanti); 4+, 5th (Pokhara).
- GRANDALA (*Grandala coelicolor*): c40, 1st.
- STONECHAT (*Saxicola torquata*): 'Several', 21st; 'several', 1st (Lete) and 2nd; I, 3rd (Hille); 'several', 4th; 'several', 5th.
- PIED BUSHCHAT (*S. caprata*): 2, 21st; I, 3rd (Hille); 'few', 5th.
- GREY BUSHCHAT (*S. ferrea*): 2, 1st; 6+, 3rd.
- WHITE-CAPPED RIVER CHAT (*Chaimarrornis leucocephalus*): 2, 21st (Pokhara); I, 22nd (Jomosom); I, 24th (Jomosom); 7, 1st; 'few', 2nd; I, 3rd (Hille); 'few', 4th (Birethanti); 3, 5th (Pokhara).
- WHISTLING THRUSH (*Myiophonus caeruleus*): I, 22nd (Jomosom); I, 26th; 2, 28th; 8, 1st; 'several', 2nd, 3rd, 4th and 5th.

- BLACK-THROATED THRUSH (*Turdus ruficollis*): I male, 23rd; I, 25th (Kagbeni);
I, 28th (Kalopani); 30+, 5th (Kaski).
- RED-THROATED THRUSH (*T. r. ruficollis*): 50+, 23rd; 30+, 24th (Jomosom); I, 26th; I, 27th.
- MISTLE THRUSH (*T. viscivorus*): I, 2nd.
- LITTLE FORKTAIL (*Enicurus scouleri*): 2, 1st.
- SPOTTED FORKTAIL (*E. maculatus*): I, 1st; 2, 4th (Birethanti).
- ABERRANT BUSHWARBLER (*Gettia flavolivacea*): 2, 2nd; I, 4th (Khare).
- STRIATED PRINIA (*Prinia criniger*): 3+, 4th (Birethanti); 3+, 5th (Naudanda).
- TAILORBIRD (*Orthotomus sutorius*): I, 21st (Pokhara); I, 1st (Dana).
- GOLDEN-SPECTACLED FLYCATCHER-WARBLER (*Seicercus burkii*): 'Several', 2nd and 4th;
2, 5th (Naudanda).
- GREY-HEADED FLYCATCHER-WARBLER (*S. xanthoschistos*): 2, 1st; 'few', 2nd; 2, 3rd
(Ghorapani); 'several', 4th; 'many', 5th.
- ORANGE-BARRED LEAF WARBLER (*Phylloscopus pulcher*): 'few', 2nd; 'many', 3rd;
'several', 4th.
- GREY-FACED LEAF WARBLER (*P. maculipennis*): 'Several', 2nd; 'few', 3rd; I, 4th (Naudanda).
- PALLAS'S LEAF WARBLER (*P. proregulus*): 3+, 1st; I, 3rd; 'several', 4th (Naudanda) and 5th.
- YELLOW-BROWED WARBLER (*P. inornatus*): I, 2nd (Pokhara); 2, 1st (Dana); 'few', 2nd; I,
3rd (Ulleri); 'several', 4th; 'many', 5th.
- CHIFFCHAFF (*P. collybita*): 'Several', 21st (Pokhara); 3, 5th (Pokhara).
- GOLDCREST (*Regulus regulus*): 'Several', 1st.
- STOLICZKA'S TIT-WARBLER (*Leptopoeile sophiae*): 5, 23rd; 6, 24th; 2, 26th; 5, 27th;
2, 28th.
- BEAUTIFUL NILTAVA (*Niltava sundara*): I, 4th (Naudanda).
- VEROTTER FLYCATCHER (*Muscicapa thalassina*): I, 4th (Khare).
- SLATY-BLUE FLYCATCHER (*Picedula tricolor*): I, 2nd (Tatopani); 2, 4th; I, 5th (Naudanda).
- ORANGE-GORGETTED FLYCATCHER (*P. strophicata*): 2, 2nd; 'few', 3rd; 5+, 4th; 2, 5th
(Naudanda).
- GREY-HEADED FLYCATCHER (*Culicicapa ceylonensis*): 3, 1st; 'several', 2nd; 'many', 3rd;
'several', 4th.
- YELLOW-BELLIED FANTAIL (*Rhipidura hypoxantha*): I, 5th (Naudanda).

WHITE-BROWED SCIMITAR BABBLER (*Pomatorhinus schisticeps*): 10, 5th.

LESSER SCALY-BREASTED WREN-BABBLER (*Phoebastria pusilla*): 2, 2nd (Tatopani);
3, 4th (Hille).

BLACK-CHINNED BABBLER (*Stachyris pyrrhops*): 2, 2nd (Ghara); 4, 4th (Khare).

SPINY BABBLER (*Turdoides nipalensis*): 1, 1st (Dana); 2, 2nd (Tatopani). These
identifications are tentative.

WHITE-THROATED LAUGHING-THRUSH (*Garrulax albogularis*): 40, 2nd (Ghara).

WHITE-CRESTED LAUGHING THRUSH (*G. leucolophus*): 2+, 4th (Chandrakot); 2, 5th (Naudanda)

VARIEGATED LAUGHING-THRUSH (*G. variegatus*): 4, 25th (Khingar); 5, 1st (Lete-Ghara).

WHITE-SPOTTED LAUGHING-THRUSH (*G. ocellatus*): 6, 3rd (Ghorapani).

SCALY LAUGHING-THRUSH (*G. subunicolor*): 3+, 2nd; 15, 3rd.

BLACK-FACED LAUGHING-THRUSH (*G. affinis*): 1, 3rd (Ghorapani).

GREEN SHRIKE-BABBLER (*Pteruthius xanthochloris*): 1, 3rd.

CRESTNUT-TAILED MINLA (*Minla strigula*): 30+, 2nd.

RUFIOUS-WINGED FULVETTA (*Aloippe castaneiceps*): 1, 3rd (Ulleri).

BLACK-CAPPED SIBIA (*Heterophasia capistrata*): 'Many', 2nd; 'few', 3rd.

STRIPED-THROATED YUHINA (*Yuhina guttata*): 1, 3rd (Ulleri).

RUFIOUS-VENTED YUHINA (*Y. occipitalis*): 'Several', 3rd.

WHITE-BELLIED YUHINA (*Y. xantholeuca*): 2, 3rd (Ghorapani). Identification tentative.

RED-HEADED TIT (*Aegithalos concinnus*): 30, 1st; 'several', 3rd.

RUFIOUS-NAPED BLACK TIT (*Parus rufonuchalis*): 2, 23rd.

COAL TIT (*P. ater*): 2, 3rd (Ghorapani).

GREAT TIT (*P. major*): 2, 5th (Kaski).

GREEN-BACKED TIT (*P. monticolus*): 3, 23rd; 'few', 25th; 'many', 1st; 2, 2nd; 1, 5th.

BLACK-COLORED TIT (*P. xanthogenys*): 'Many', 2nd; 'several', 4th; 'several', 5th.

VELVET-FRONTED NUTHATCH (*Sitta frontalis*): 1, 4th (Naudanda).

WHITE-TAILED NUTHATCH (*S. himalayana*): 4+, 1st; 'few', 2nd; 2, 3rd.

WALLCREEPER (*Tichodroma muraria*): 1, 23rd; 2, 24th; 1, 25th; 1, 27th (Muktinath);
1, 4th (Biretnanti).

TREECREEPER SPECIES (*Oerthia*): 1, 1st (Lete).

PURPLE SUNBIRD (*Nectarinia asiatica*): 3+, 1st; 'several', 2nd (Tatopani).

GREEN-TAILED SUNBIRD (*Aethopyga nipalensis*): 'Several', 3rd.

CRIMSON SUNBIRD (*Aethopyga siparaja*): 1 male, 1st (Dana).

FIRE-TAILED SUNBIRD (*A. ignicauda*): 1 male, 2nd; 'few', 4th (Birethanti).

ORIENTAL WHITE-EYE (*Zosterops palpebrosa*): 3, 5th.

LONG-TAILED SHRIKE (*Lanius schach*): 1, 21st; 3, 2nd (Ghara); 1, 4th; 'several', 5th.

GREY-BACKED SHRIKE (*L. tephronotus*): 1, 23rd.

BLACK DRONGO (*Dicrurus macrocercus*): 'Several', 21st (Pokhara); 'many', 5th.

LITTLE BRONZED DRONGO (*D. aeneus*): 3, 4th (Naudanda); 2, 5th (Pokhara).

LESSER RACQUET-TAILED DRONGO (*D. remifer*): 1, 4th (Naudanda).

SPANGLED DRONGO (*D. hottentottus*): 1, 4th (Birethanti).

RED-BILLED BLUE MAGPIE (*Urocissa erythrorhyncha*): 4, 5th (Naudanda).

RUFOUS TREEPIE (*Dendrocitta vagabunda*): 1, 21st (B); 'few', 1st (Dana); 2, 2nd (Ghara);

'several', 5th;

GREY TREEPIE (*D. formosae*): 'Several', 4th; 'few', 5th.

ALPINE CHOUGH (*Pyrrhocorax graculus*): 4+, 26th.

CHOUGH (*P. pyrrhocorax*): 50, 22nd (Jomosom); 40+, 23rd; 400, 24th (Jomosom); 350, 25th and 26th; 400+, 27th; 300+, 25th.

HOUSE CROW (*Corvus splendens*): 'Few', 21st and 22nd (Pokhara); 1, 4th; 'many', 5th.

JUNGLE CROW (*C. macrorhynchos*): 'Few', 21st and 22nd (Pokhara); 2, 23rd; pair, 27th (Muktinath) and 25th; 'many', 1st and 2nd; 'several', 3rd; 'many', 4th and 5th.

RAVEN (*C. corax*): Pair, 22nd (Jomosom); 1, 24th (Jomosom); 1, 25th; pair, 26th; 1, 28th.

COMMON MYNA (*Acridotheres tristis*): 'Many', 21st; 'few', 1st (Dana); 'several',

2nd, 3rd and 4th; 'many', 5th.

JUNGLE MYNA - see page 9.

CINNAMON SPARROW (*Passer rutilens*): 1, 24th (Jomosom); 2, 1st (Lete); 3, 2nd; 2, 5th (Naudanda).

TREE SPARROW (*P. montanus*): 'Several', 22nd; 'many', 23rd; 24th and 25th; 30+, 27th;

'many', 28th; 'several', 1st and 2nd; 'few', 4th; 'many', 5th.

STRIATED MANNIKIN (*Lonchura striata*): 6+, 2nd (Ghara).

RED-FRONTED SERIN (*Serinus pusillus*): 30+, 22nd; 4, 24th; 13, 5th (Kagbeni).

YELLOW-BREASTED GREENFINCH (*Carduelis spinoides*): 30, 5th.

PLAIN MOUNTAIN FINCH (*Leucosticte nemoricola*): 15+, 26th.

COMMON ROSEFINCH (*Carpodacus erythrinus*): 30+, 5th (Naudanda).

BEAUTIFUL ROSEFINCH (*Carpodacus puniceifrons*): 2, 23rd; 3, 24th; 3+, 27th.
 PINK-BROWED ROSEFINCH (*C. rhodochrous*): 10+, 27th.
 CRIMSON-EARED ROSEFINCH (*C. rubicilloides*): 6, 25th (Kagbeni); 1, 26th; 4, 27th.
 RED-BREASTED ROSEFINCH (*C. puniceus*): 2, 26th.
 BULLFINCH SPECIES (*Pyrrhula*): 1, 3rd (Ghorupani).
 WHITE-WINGED GROSBEEK (*Mycozetes carripes*): 2, 25th.
 PINE BUNTING (*Emberiza leucocephalos*): 5, 23rd; 17, 24th (Jomosom and Kagbeni); 50+, 25th (Kagbeni); 2, 26th (Ghoruba).
 YELLOWHAMMER (*E. citrinella*): 1 male, 25th (Kagbeni). First record for Nepal.
 ROCK BUNTING (*E. cia*): 3, 27th (Ghoruba); 'several', 28th; 'few', 1st (Lete).
 RUSTIC BUNTING (*E. rustica*): 1, 25th (Kagbeni). Second record for Nepal.
 LITTLE BUNTING (*E. pusilla*): 1, 5th (Kagbeni).

JUNGLE WEAVER (*Acridotheres fuscus*): 'many', 21st and 22nd (Fokhara); pair, 4th (Maudenda); 'many', 5th.

Tompson
Blomberg '82.