


J. Calladine
 89
 10.09.84

16th February 1985

JOHN CALLADINE


Map 1 - location of sites visited



ITINARY


- 18/10 Karachi (Pakistan) - Clifton Beach - Sandy beach with acacia scrub inland.
- 20 - 22/10 Delhi - City, parks, gardens, River Yamuna and adjacent cultivations.
- 23 - 25/10 Sultanpur - Lake with marshy edges, surrounded by scrub and cultivation.
- 26/10 Delhi Ridge - Scrub.
- 28/10 - 1/11 - Bharatpur (Keoladeo National Park) - Variety of habitats, extensive jheels, scrub, mature trees, dry grassland. Outside park cultivated and arid areas.
- 2/11 Agra - River Yamuna, slow moving river with many broad sandbanks. Also parks, gardens around Taj Mahal, Red Fort etc.
- 7/11 Kathmandu to Chovar Gorge.
- 8/11 Gokarna (Kathmandu Valley) - Broadleaved forest surrounded by paddyfields and river.
- 9 - 10/11 Sheopuri - A hill on north edge of Kathmandu Valley. Mature forest on upper slopes, undergrowth of rhododendron and bamboo. Lower slopes covered with scrub and secondary forest.
- 11/11 Godavari - Ornamental gardens in Kathmandu Valley, surrounded by forest, scrub and also fish ponds.
- 14/11 - 23/12 Trek around Annapurna Himal. See Map 2.
- 14/11 Dumre to Torture - Lowland valley, mostly cultivated with isolated trees and remnants of evergreen broadleaved forest.
- 15/11 Torture to Paundi - As above.
- 16/11 Paundi to Besi Sahar - " "
- 17/11 Besi Sahar to Khudi - Narrower valley with more woodland.
- 18/11 Khudi and Ghanpokhara
- 19 - 20/11 Bhulbule - Steep sided valley, rocky outcrops and broadleaved forests.
- 21/11 Bhulbule to Tagring - Steep sided valley, rocky outcrops and scrub.
- 22/11 Tagring to Tal - Valley more like a rocky gorge, with scattered trees (broadleaved, conifer and palm) and more extensive woods in inaccessible areas. Bamboo on rise towards Tal. Tal being a flat area (old lake) bordered by steep slopes.
- 23/11 Tal to Bagarchap - Steep sided gorge. Pines, broadleaved trees and bamboo.
- 24/11 Bagarchap - Forested valleyside south of town. Bamboo undergrowth.
- 25/11 Bagarchap to Chame

Map 2 - Annapurna area



- 26/11 Chame to Pissang - Steep sided valley forested with Pine, Spruce and some Hemlock and Juniper, stunted in higher and exposed areas. Some fields near villages.
- 27/11 Pissang to Gyaru - Conifer woods and cleared areas around villages.
- 28/11 Gyaru to Manang - Road, flat bottomed valley with arid areas, fields, and spruce, stunted pines and juniper.
- 29/11 - 30/11 Manang and Braga.
- 1/12 Manang to Phedi - High valley, a little cultivation to Lattar, above which scrub, grasses and bare hillsides.
- 2/12 Phedi to Muktinath - High mountain pass (17 800'). Grasses, sedges, bare rock and scree, snow and ice.
- 3-4/12 Muktinath - Cultivation and some trees by villages surrounded by mountains and stoney desert to north and west.
- 5/12 Muktinath to Kagbeni - Mostly desert. Some cultivation and trees around villages.
- 6/12 Kagbeni to Jomosom - Kali Gandhaki valley, the river winding in a broad shingle bed. Valley sides desert with some conifers towards Jomosom.
- 7/12 Jomosom to Marpha - Increasing forest towards Marpha, but valley largely arid.
- 8/12 Marpha to Lete - Pine and spruce forest, deciduous trees at Lete. Some cultivation and orchards.
- 9/12 Lete - Forest, mostly conifer with rhododendron and bamboo undergrowth.
- 10/12 Lete to Ghasa - Mixed forest.
- 11 - 12/12 Ghasa - Open grazed hill sides and mixed forest.
- 13/12 Ghasa to Tatopani - Less forest and more cultivation towards Tatopani.
- 14/12 Tatopani to Chitre - Much terraced cultivation with small areas of forest.

- 5/12 Chitre to Gharopani (Poon Hill) - Oak rhododendron forest , conifers higher up , areas of cultivation , scrub etc.
- 16/12 Gharopani (Poon Hill) - Oak rhododendron Forest with clearings .
- 17/12 Gharopani to Tadopani - All forest , oak rhododendron with spruce in places .
- 18/12 Tadopani to Gandrung - Moist oak rhododendron forest . Cultivated around Gandrung .
- 19/12 Gandrung - Secondary forest , scrub and terraced cultivation .
- 20/12 Gandrung to Birethanti - Mostly cultivated with isolated degenerate broadleaved evergreen woods .
- 21/12 Birethanti - Evergreen wooded hillslopes interspersed with terraced cultivations.
- 22/12 Birethanti to Naudanda - Largely cultivated with areas of forest on slopes , ravines and hill tops .
- 23/12 Naudanda to Pokhara - Some slopes forested , otherwise cultivated or heavily grazed . Marshy areas by Phewa Tal.
- 25/12 Pokhara - Secondary woodland by Phewa Tal .
- 26/12 Begnas Tal - Lake with marshy areas and secondary woodland on slopes to south .
- 27/12 - 30/12 - Meghauri (Chitwan National Park) - Sal forest , scrub , elephant grass , shingle river beds . Outside park , agricultural land and short grazed airfield .
- 1/1 Gokarna (Kathmandu Valley) - see 8/11 .
- 3/1 Pulchowki - Hill in Kathmandu Valley . Oak rhododendron forest with bamboo undergrowth above 6 500' .
- 6/1 Hetauda - Broad shingle bedded river and adjacent trees ,
- 7 -9/1 Kosi Barrage - Large barrage across river with large areas of water and marsh either side . Many extensive sand banks . Surrounds cultivated .
- 10/1 - 28/1 Trek in Illam District - see Map 3.



- 10/1 Sanichare to Sukani - Cultivation , rivers and associated shingle beds . North of river (Sukhani) extensive sal forest .
- 11/1 Chillingkot to Suktim - Sal forest on rolling hills . Some cultivation and extensive tea gardens at Chillingkot and Suktim .

- 12/1 Saktim - Sal forest and tea gardens
13/1 Saktim to Illam - terraced cultivation with forest on slopes etc. Illam a large town .
14/1 Illam to Maipokhari - Terraced cultivation , many higher terraces abandoned. At Maipokhari a small marshy pool surrounded by trees and bamboo.
15/1 Maipokhari to Jamuna - Scrub and cultivation .
16/1 Jamuna to Hangartham
17/1 - 19/1 Hangartham - Oak rhododendron forest above village . Large stands of bamboo.
20/1 Kalopokhari - Very extensive oak rhododendron forest on east side (Indian) of ridge , much bamboo undergrowth .
21 - 22/1 Sandakphu - 12000' hill with conifer forest , bamboo and rhododendron. Some grazed clearings . Much snow .
23/1 Bikabanjan - Conifer and rhododendron forest with bamboo .
24/1 Kalopokhari to Jamuna
25/1 Jamuna to Illam
27/1 Sukhani - Extensive sal forest with ravines .
28/1 Sukhani to Sanichare and Kosi Barrage
29/1 Kosi Barrage
31/1 - 4/2 Bharatpur (Keoladeo National Park)
5/2 Agra
7 - 8/2 Naini Tal - Large town by lake in foothills . Areas of broadleaved and conifer forest also bamboo and cultivation .
10 - 13/2 Dhikala (Corbett National Park) - Very extensive sal forest on rolling hills . Areas of elephant grass , large river flowing into reservoir and associated mud flats .
14/2 Dunghari (Corbett National Park) - Sal forest .
16/2 Karachi (Pakistan) Clifton Beach .

Systematic List of Birds

- Great crested Grebe (*Podiceps cristatus*) : c25 Begnas Tal ; 2 Kosi .
Little Grebe (*Tachybaptus ruficollis*) : Delhi ; Bharatpur ; Sultanpur ; Begnas Tal
White Pelican (*Pelicanus onocrotalus*) : 6 Bharatpur 1/2 .
Dalmation Pelican (*P. crispus*) : Up to 4 Bharatpur in early Feb.
Cormorant (*Phalacrocorax carbo*) : Sultanpur ; Bharatpur ; Agra ; 2 Torture ; c300 Meghauli ; Kosi ; Dhikala ; Karachi .
Indian Shag (*P. fuscicollis*) : Sultanpur ; Bharatpur .
Little Cormorant (*P. niger*) : Delhi ; Sultanpur ; Bharatpur ; Kosi .
Darter (*Anhinga melanogaster*) : Sultanpur ; Bharatpur ; Kosi ; Dhikala .
Grey Heron (*Ardea cinerea*) : Sultanpur ; Bharatpur ; Kosi ; Dhikala .
Purple Heron (*A. purpurea*) : Sultanpur ; Bharatpur ; Kosi .
Pond Heron (*Ardeola grayii*) : Common in lowland marshes , by rivers , paddyfields e
Cattle Egret (*Bulbulais ibis*) : Common in lowland cultivations .
Great White Egret (*Egretta alba*) : Delhi ; Sultanpur ; Bharatpur ; Agra ; Meghauli ; Kosi .
Intermediate Egret (*E. intermedia*) : Most lowland wetlands .
Little Egret (*E. garzetta*) : Common in lowlands near water .
Reef Heron (*E. gularis*) : 4 Karachi 18/10 with 15+ on 18/2 .
Night Heron (*Nycticorax nycticorax*) : Sultanpur ; Bharatpur .
Painted Stork (*Mycteria leucocephala*) : 5+ Sultanpur ; c50 Bharatpur in Oct. with only one in Feb.
Open billed Stork (*Anastomus oscitans*) : Bharatpur ; Kosi ; Meghauli .
White necked Stork (*Ciconia episcopus*) : Delhi ; Sultanpur ; Bharatpur ; Meghauli ; Kosi ; Sanichare ; 1 Khudi 17-18/11 .
Black Stork (*C. nigra*) : Meghauli ; Sanichare ; Saktim ; Dhikala .
Black necked Stork (*Ephippiorhynchus asiaticus*) : Bharatpur .
Lesser Adjutant Stork (*Leptaptilos javanicus*) : Up to 10 Kosi ; Sanichare ; 1 Bharatpur in Feb.
White Ibis (*Threskiornis melanocephalus*) : Sultanpur ; Bharatpur ; Kosi .
Black Ibis (*Pseudibis papillosa*) : Up to 8 Meghauli ; 5 Metauda ; 6 Sanichare .
Glossy Ibis (*Plegadis falcinellus*) : c30 Bharatpur early Feb.

- Spoonbill (*Platalea leucorodia*) : Bharatpur ; 1 Sanichare 28/1 .
Bar headed Goose (*Anser indicus*) : 130 Bharatpur early Feb.
Grey lag Goose (*A. anser*) : 2 Kosi ; c300 Bharatpur .
Lesser Whistling Teal (*Dendrocygna javanica*) : Bharatpur ; c60 Kosi .
Ruddy Shelduck (*Tadorna ferruginea*) : Sultanpur ; Bharatpur ; Agra ; c100 Meghauli ;
c200 Kosi ; plus odd singles and small groups on lowland rivers .
Pintail (*Anas acuta*) : c25 Delhi (River Yamuna) ; Bharatpur ; 60+ Kosi .
Teal (*A. crecca*) : Delhi ; Sultanpur ; Bharatpur ; Kosi ; Meghauli .
Spot billed Duck (*A. paucilorchyncha*) : Delhi ; Sultanpur ; Bharatpur ; Kosi ;
1 Pissang 27/11 .
Mallard (*A. platyrhynchos*) : 4 Manang 29/11 ; 30+ Begnas Tal ; Kosi ; Phewa Tal ;
Many Bharatpur early Feb.
Gadwall (*A. strepera*) : Bharatpur early Feb. ; 60+ Kosi .
Falcated Teal (*A. falcata*) : 6+ Begnas Tal 27/12 ; 4+ Kosi 8/1 .
Wigeon (*A. penelope*) : Sultanpur ; Bharatpur ; Kosi .
Garganey (*A. querquedula*) : 3 Bharatpur early Feb.
Shoveler (*A. clypeata*) : 5 Delhi 21/10 ; Sultanpur ; Bharatpur ; Kosi .
Red crested Pochard (*Netta rufina*) : Bharatpur in Feb.
Pochard (*Athya ferina*) : Sultanpur ; Bharatpur ; 10 Begnas Tal 26/12 .
Ferruginous Duck (*A. nyroca*) : Bharatpur early Feb.
Tufted Duck (*A. fuligula*) : Sultanpur ; c10 Begnas Tal ; Kosi ; 2 Bharatpur .
Cotton Teal (*Nettapus coromandelianus*) : Bharatpur .
Comb Duck (*Saridiornis melanatas*) : Sultanpur ; Bharatpur ; 1 Kosi .
Goosander (*Mergus merganser*) : 8 Meghauli ; c20 Kosi .
Black shouldered Kite (*Elanus caeruleus*) : Delhi Ridge ; Sultanpur ; Bharatpur ;
Meghauli ; Kosi ; Dhikala ; Sanichare .
Crested Honey Buzzard (*Pernis ptilorhynchus*) : 3 Delhi Ridge ; 1 Gokarna 8/11 ;
3 Bharatpur 29/10 .
Black Kite (*Milvus migrans*) : Very common on lower ground . Up to Paundi in Marsyandi
valley and Tatopani in Kali Ghandaki .
Brahminy Kite (*Heliastur indicus*) : Karachi , 1 on 18/10 , 2 on 16/2 .
Goshawk (*Accipiter gentilis*) : 1 Gandrung 19/12 .
Shikra (*A. badius*) : 1 Bharatpur 2/2 ; 1 Dhikala 11/2 ; also possible Shikra at
Bharatpur and Meghauli .
Sparrowhawk (*A. nisus*) : Chovar Gorge ; Lete ; Ghasa ; Gharopani ; Gandrung ;
Birethanti ; Naudanda ; Maipokhari ; Bikabanjan .
Besra (*A. virgatus*) : 1 Suktim .
Long legged Buzzard (*Buteo rufinus*) : Bharatpur ; 6 Chovar Gorge ; 2 Gokarna ;
1 Naudanda ; 1 Dhikala .
Buzzard (*B. buteo*) : 2 Bhulbule ; 2 Tal ; 1 Bagarchap ; 3 Illam ; 1 Maipokhari ;
1 Jamuna ; 2 Hangartham ; 2 Kalopokhari ; 1 Gharopani .
White eyed Buzzard (*Butastur teesa*) : 1 Kosi 7/1 .
Hodgson's Hawk Eagle (*Spizaetus nipalensis*) : 1 Lete ; 1 Tadopani ; 1 Pokhara ;
2-3 Pulchowki ; 1 Dhikala .
Changeable Hawk Eagle (*S. cirrhatous*) : 2 Sanichare 10/1 .
Bonelli's Eagle (*Hieraaetus fasciatus*) : 1 Khudi ; 2 Gandrung ; 2 Birethanti .
Booted Eagle (*H. pennatus*) : 1 Bharatpur 31/10 .
Golden Eagle (*Aquila chrysaetus*) : 2 Braga 29/11 .
Imperial Eagle (*A. heliaca*) : 2 Bharatpur 29/10 .
Steppe Eagle (*A. rapax*) : 2 Bharatpur ; 1 Lumle ; 1 Gokarna .
Spotted Eagle (*A. clanga*) : Up to 11 Bharatpur ; 1 Kosi 8/1 .
Lesser spotted Eagle (*A. pomarina*) : 2 Dumre 14/1 .
Black Eagle (*Ictinaetus malayensis*) : 15+ Sheopuri ; 1 Lete ; 1 Ghasa ; 2 Jamuna .
White tailed Eagle (*Haliaeetus albicilla*) : 1 Begnas Tal ; 3 Kosi .
Pallas' Fish Eagle (*H. leucoryphus*) : 3 Bharatpur ; 1 Dhikala .
Grey headed Fish Eagle (*Ichthyophaga ichthyaetus*) : 1 Meghauli .
Himalayan Grey headed Fish Eagle (*I. nana*) : 2 Begnas Tal ; 3 Dhikala .
King Vulture (*Sarcogyps cahius*) : Torture to Khudi in Marsyandi valley ;
Tatopani ; Gandrung to Pokhara ; Bharatpur ; Dhikala .
Black Vulture (*Aegyptius monachus*) : 2 Phewa Tal 23/12 .
Griffon Vulture (*Gyps fulvus*) : c10 Naini Tal .
Himalayan Griffon (*G. himalayensis*) : Tagrung upwards in Marsyandi Valley and
from Muktinath to Pokhara ; 3 Pulchowki ; 3 Kalopokhari ; 2 Jaini Tal .

White backed Vulture (*Gyps bengalensis*) : Delhi; Sultanpur ; Bharatpur ; Agra ;
 Up to Torture in Marsyandi Valley ; Meghauli ; Kosi .
 Egyptian Vulture (*Neophron pinnapterus*) : Delhi ; Sultanpur ; Bharatpur ; Agra .
 Lammergeier (*Gypaetus barbatus*) : Bagarchap upwards in Marsyandi Valley and down
 to Gandrung to the west of the Annapurnas ; 2 Naini Tal .
 Hen Harrier (*Circus cyaneus*) : 2 Ghasa ; 2 Meghauli ; 1 Kalopokhari ; 2 Dhikala .
 Pallid Harrier (*C. macraurus*) : 2 Kosi .
 Montagu's Harrier (*C. pygargus*) : 1 Naudanda 22/12 .
 Pied Harrier (*C. melanoleucos*) : 2 -3 Kosi .
 Marsh Harrier (*C. auruginasus*) : Sultanpur ; Bharatpur ; 1 Begnas Tal ; Kosi .
 Short toed Eagle (*Circaetus gallicus*) : 2 Sultanpur .
 Crested Serpent Eagle (*Spilornis cheela*) : 3 Delhi Ridge ; 3 Bharatpur ; 4 Saktim ;
 1 Sukhani .
 Osprey (*Pandion haliaetus*) : 1 Meghauli ; 2 Kosi ; 1 Dhikala .
 Peregrine (*Falco peregrinus*) : 2 Hangartham ; 1 Kosi .
 Hobby (*F. subbuteo*) : 4 Barabese 14/11 .
 Kestrel (*F. tinnuculus*) : 1 Barabese ; 4 Khudi ; 3 Bhulbule ; 10 Tagring to Tal ;
 3 Manang ; 2 Lete ; 2 Ghasa ; 2 Chitre ; 2 Birethanti ; 4 Naudanda ; 1 Jamuna ;
 1 Hangartham ; 1 Karachi .
 Himalayan Snowcock (*Tetraogallus himalayensis*) : 4 above Muktinath 4/12 .
 Chukar (*Alectoris chukar*) : Several flocks of up to 20 Gyaru to Manang and Jharkot .
 Black Francolin (*Francolinus francolinus*) : 4 Dhikala .
 Grey Francolin (*F. pondicerianus*) : Bharatpur ; Sultanpur ; Delhi Ridge .
 Tibetan Partridge (*Perdix hodgsoniae*) : 8 above Muktinath 4/12 .
 Common Hill Partridge (*Arborophila tarqueola*) : 3 Tadopani ; 5 Gandrung ; 9 Hangartham .
 Kaleej Pheasant (*Lophura leucomelona*) : 3 Lete ; 2 Ghasa ; 5 Hangartham ; 5 Sheopuri ;
 3 Pulchowki ; 4 Dhikala .
 Chir Pheasant (*Catneus wallichii*) : 1 Ghasa .
 Koklas Pheasant (*Pucrasia macrolapha*) : 4 Ghasa .
 Red Jungle Fowl (*Gallus gallus*) : 3 Meghauli ; many Dhikala .
 Common Peafowl (*Pavo cristatus*) : Delhi ; Bharatpur ; Sultanpur ; 2 Gokarna ;
 2 Meghauli .
 Crane (*Grus grus*) : c50 Sultanpur .
 Sarus Crane (*G. antigone*) : Sultanpur ; Bharatpur .
 Siberian Crane (*G. leucogeranus*) : 17+ Bharatpur early Feb .
 Brown Crake (*Amauraris akool*) : Bharatpur ; 3 Meghauli .
 White breasted Waterhen (*A. phaenicurus*) : Delhi ; Bharatpur ; Meghauli ; Kathmandu .
 Moorhen (*Gallinula chloropus*) : Bharatpur ; 3 Kosi .
 Purple Gallinule (*Potphyrio porphyrio*) : Bharatpur ; 20 Begnas Tal ; Kosi .
 Coot (*Fulica atra*) : Bharatpur .
 Pheasant tailed Jacana (*Hydrophasianus chirrugus*) : Bharatpur ; 2 Kosi .
 Bronze winged Jacana (*Metopidius indicus*) : Bharatpur ; Meghauli .
 Painted Snipe (*Raстрatula benghalensis*) : 1 Kosi 7/1 .
 Black winged Stilt (*Himantopus himantopus*) : c250 Delhi 21/10 ; Sultanpur ;
 Bharatpur ; c100 Agra 2/11 .
 Avocet (*Recurvirostra avosetta*) : 11 Delhi 21/10 .
 Stone curlew (*Bruhinus aedionemus*) : 2 Meghauli ; 2 Bharatpur .
 Great Stone Plover (*Esacus magnirostrus*) : 3 Dhikala .
 Little Pratincole (*Glaneola lactea*) : 1 Sultanpur ; 8 Meghauli ; c350 Agra 5/2 .
 White tailed Plover (*Vanellus leucurus*) : 1 Sultanpur ; c10 Bharatpur early Feb .
 Lapwing (*V. vanellus*) : 10 Gokarna 1/1 ; 1 Bharatpur 1/2 .
 Grey headed Plover (*V. cinereus*) : 9 Gokarna 1/1 .
 Red wattled Plover (*V. indicus*) : Common in lowland wetlands and cultivations .
 Asian Spur winged Plover (*V. duvaucelli*) : Delhi ; Meghauli ; Hetauda ; Kosi ;
 Dhikala ; also elsewhere in small numbers .
 Lesser Golden Plover (*Pluvialis dominica*) : 12 Meghauli ; c20 Kosi .
 Greater Sand Plover (*Charadrius leschenaultii*) : c100 Karachi 18/10 and c150 on 15/2
 Lesser Sand Plover (*C. mongolus*) : Karachi 200+ 18/10 , c300 16/2 .
 Little Ringed Plover (*C. dubius*) : Delhi ; Chovar Gorge ; Phewa Tal ; Meghauli ;
 Hetauda ; Kosi ; Sanichare ; Dhikala .
 Kentish Plover (*C. alexandrius*) : c50 Meghauli 27/12 ; 400+ Karachi 16/12 .
 Curlew (*Numerius arquata*) : 9 Sultanpur 23/10 ; c15 Kosi in Jan. ; 6 Karachi 16/2 .

Black tailed Godwit (*Limosa limosa*) : c15 Sultanpur 24/10 .
 Spotted Redshank (*Tringa erythropus*) : 2 Delhi ; Sultanpur ; Bharatpur .
 Redshank (*T. tatanus*) : Agra ; Phewa Tal ; Meghauri ; Bharatpur .
 Marsh Sandpiper (*T. stagnatillis*) : 3 Delhi 21/10 ; 2 Agra 2/11 .
 Greenshank (*T. nebularia*) : Delhi ; Bharatpur ; Agra ; Kathmandu ; Meghauri ;
 Gokarna ; Hetauda ; Kosi ; Sanichare ; Dhikala .
 Green Sandpiper (*T. ochrapus*) : Sultanpur ; Bharatpur ; Kathmandu ; Phewa Tal ;
 Meghauri ; Hetauda ; Kosi ; Sonichare ; Bharatpur .
 Wood Sandpiper (*T. glareola*) : Sultanpur ; Bharatpur ; Delhi ; Kosi .
 Turk Sandpiper (*T. terk*) : 1 Karachi 16/2 .
 Common Sandpiper (*T. hypoleucas*) : Agra ; Kathmandu ; Gokarna ; up to Ahudi
 in Marsyandi Valley ; Phewa Tal ; Meghauri ; Hetauda ; Dhikala .
 Wood Snipe (*Gallinago nemoricola*) : 1 Bagarchap ; 1 Lete ; 1 Bikabanjan .
 Pintail Snipe (*G. stenura*) : 4+ Gokarna 8/1 .
 Snipe (*G. gallinago*) : 8+ Gokarna ; Kosi ; Bharatpur .
 Woodcock (*Scalopax rusticola*) : 1 Gokarna 1/1 .
 Sanderling (*Calidris alba*) : Karachi c20 18/10 , c30 16/2 .
 Little Stint (*C. minuta*) : c10 Karachi 16/2 .
 Temminck's Stint (*C. temminckii*) : c350 Delhi 21/10 ; c30 Agra 2/11 ; Meghauri ;
 Hetauda ; Kosi ; Sanichare .
 Dunlin (*C. alpina*) : c50 Karachi .
 Curlew Sandpiper (*C. ferruginea*) ; 1 Karachi 16/2 .
 Ruff (*Philomachus pugnax*) : Delhi ; Sultanpur ; Bharatpur .
 Sooty Gull (*Larus hemprichii*) : 1 Karachi 16/2 .
 Herring Gull (*L. argentatus*) : 2 Kosi ; 1 Bharatpur early Feb. ; 4 Karachi 16/2 .
 Lesser Black backed Gull (*L. fuscus*) : Many Karachi 16/2 .
 Great Black headed Gull (*L. icthyaetus*) : 2 Karachi 18/10 ; 3 Delhi 21/10 ;
 8 Meghauri ; c10 Kosi ; 1 Dhikala .
 Brown headed gull (*L. brunnicephalis*) : c10 Delhi 21/10 ; 8 Meghauri ; c10 Kosi ;
 1 Dhikala .
 Black headed Gull (*L. rudibundus*) : c10 Delhi 21/10 ; c15 Kosi ; Many Karachi 16/2 .
 Slender billed Gull (*L. genei*) : 4 Karachi 18/10 ; 2 kosi 8/1 .
 Whiskered Tern (*Chlidonias hybrida*) : 300+ Delhi 21/10 ; c25 Bharatpur early feb .
 Gull billed Tern (*Gelochelidon rilotica*) : 1 Karachi 18/10 , 60 16/2 ;
 c10 Delhi 21/10 ; 3 Sultanpur ; 4+ Kosi ;
 Caspian Tern (*Hydroprogne caspia*) : 5 Karachi 16/2 ; 6 Kosi .
 Indian River Tern (*Sterna aurartia*) : c15 Delhi 21/10 ; c30 Kosi ; 1 Dhikala .
 Common Tern (*S. hirundo*) : c10 Karachi 16/2 .
 Black bellied Tern (*S. acuticauda*) : 4 Delhi ; 3 Meghauri ; c50 Kosi .
 Swift Tern (*S. bergii*) : 1 Karachi 16/2 .
 Sandwich Tern (*S. sandvicensis*) : Karachi c10 18/10 , 1 16/2 .
 Pintailed Green Pigeon (*Treron apicauda*) : 2 Gcruwa 27/1 .
 Wedgetailed Green Pigeon (*T. sphenura*) : 4 Pulchowki 3/1 .
 Green Imperial Pigeon (*Ducula aenea*) : 2 Bharatpur 30/10 .
 Emerald Dove (*Chalcophaps indica*) : 4+ Meghauri .
 Snow Pigeon (*Collumba leuconata*) : c60 Braga ; c25 Manang ; 2 Lattar .
 Hill Pigeon (*C. rupestris*) : c30 Braga ; c30 Muktinath .
 Rock Dove (*C. livia*) : Several flocks in Marsyandi Valley above Tagring ;
 Feral Pigeons in Townd .
 Rufous Turtle Dove (*Streptopelia orientalis*) : Meghauri ; fairly common in Illam
 to Jamuna area .
 Collared Dove (*S. decaoto*) : Delhi ; Sultanpur ; Bharatpur ; common on the plains .
 Spotted Dove (*S. chinensis*) : Common in foothills .
 Red Turtle Dove (*S. tranquebomica*) : Common on the plains .
 Palm Dove (*S. senegalensis*) : Common on the plains .
 Alexandrine Parakeet (*Psittacula eupatria*) : 2 Meghauri ; 2 Dhikala .
 Rose ringed Parakeet (*P. kramerii*) : Very common in lowlands .
 Red breasted Parakeet (*P. alexandri*) : Many Meghauri ; 3 Soktim .
 Blossom headed Parakeet (*P. cyanacaphala*) : c20 Sukhani ; 25 Dhikala ; 6 Illam .
 Slaty headed Parakeet (*P. himalayana*) : 2 Gandrung .
 Pied crested Cuckoo (*Clamatar jacobinus*) : 1 Delhi Ridge ; 2 Bharatpur .
 Koel (*Eudynamis scolopacea*) : Delhi Ridge ; Bharatpur ; Karachi .

- Large Green billed Malkoha (*Rhapodytes tristis*) : 1 Meghauli ; 1 Sukhani ; 1 Suktim .
 Sirkeer Cuckoo (*Tacocua leschenaultii*) : 1 Khudi 17/11 .
 Coucal (*Centropus sinensis*) : Delhi ; Sultanpur ; Bharatpur ; Meghauli ; Kosi .
 Lesser Coucal (*C. toulau*) : 2 Kosi .
 Collared Scops Owl (*Otus lakkomaena*) : 2 Bharatpur .
 Dusky Horned Owl (*Bubo coromandus*) : 7 Bharatpur .
 Brown Fish Owl (*Ketupa zeylonensis*) : 1 Dhikala .
 Collared Pigmy Owlet (*Glaucidium brodiei*) : 1 Pulchowki .
 Jungle Owlet (*G. radiatum*) : 1 Meghauli ; 2 Dhikala .
 Barred Owlet (*G. cuculoides*) : 1 Jaggat ; 1 Chandrakot ; 1 Pokhara ; 1 Goruwa .
 Spotted Owlet (*Athene brana*) : Bharatpur ; Agra ; Kathmandu ; Meghauli ; Kosi .
 Mottled Wood Owl (*Strix ocellata*) : 2 Bharatpur .
 Himalayan Swiftlet (*Collocalia brevirostris*) : Khudi ; Bhulbule ; Tagring ; Tal ;
 Bagarchap ; Pokhara ; Begnas Tal ; Meghauli ; Jamuna .
 White rumped Spinetail (*Chaetura sylvatica*) : 9 Dunghari .
 Alpine Swift (*Apus melba*) : 4 Kudi 18/11 ; 1 Illam 14/1 .
 Little Swift (*A. affinis*) : Karachi ; Delhi ; Sultanpur ; Bharatpur ; Agra ;
 Kathmandu ; Meghauli ; Dhikala .
 Crested Tree Swift (*Hemiprocne longipennis*) : c20 Meghauli ; c10 Chillingkot ;
 c25 Sukhani ; c15 Dhikala .
 Red headed Trogon (*Harpactes erythrocephalus*) : 1 Goruwa .
 Himalayan Pied Kingfisher (*Ceryle lugubris*) : 2 Khudi ; 2 Dhikala .
 Lesser Pied Kingfisher (*C. rudis*) : Delhi ; Sultanpur ; Bharatpur ; Begnas Tal ;
 Meghauli ; Kosi ; Dhikala .
 Kingfisher (*Alcedo atthis*) : Delhi ; Bharatpur ; Birethanti ; Meghauli ; Kosi ;
 Dhikala .
 Stork billed Kingfisher (*Pelargopsis capensis*) : 2 Meghauli .
 White breasted Kingfisher (*Halcyon smyrnensis*) : Common in Lowlands .
 Chestnut headed Beeeater (*Merops leschenaulti*) : 7+ Chisapani .
 Blue cheeked Beeeater (*M. superciliosus*) : Sultanpur ; Bharatpur .
 Little Green Beeeater (*M. orientalis*) : Karachi ; Delhi ; Sultanpur ; Bharatpur ;
 Meghauli ; Kosi .
 Blue bearded Beeeater (*Nyctyornis athertoni*) : 1 Dunghari .
 Indian Roller (*Coracias benghalensis*) : Common in lowlands .
 Hoopoe (*Upupa epops*) : Fairly common lowlands .
 Common Grey Hornbill (*Tachus luiastris*) : Bharatpur .
 Great Hill Barbet (*Megalaina virens*) : c10 Gokarna ; 2 Lete ; 3 Ghasa ; 2 Pokhara ;
 5 Pulchowki .
 Linneated Barbet (*M. linneata*) : 2 Meghauli ; c10 Chillingkot ; c10 Sukhani ;
 2 Dhikala ; 2 Dunghari .
 Blue throated Barbet (*M. asiatica*) : 3 Chovar Gorge ; 1 Khudi ; 1 Naudanda ;
 1 Pokhara ; 8 Gokarna ; 3 Chillingkot ; 2 Dhikala .
 Crimson breasted Barbet (*M. haemocephala*) : 2 Bharatpur .
 Wryneck (*Jynx torquilla*) : Bharatpur .
 Spotted Piculet (*Picumnus innominatus*) : 1 Gokarna .
 Rufous Piculet (*Sasia ochracia*) : 1 north of Illam .
 Rufous Woodpecker (*Micropteryx brachyurus*) : 2 Dhikala .
 Scaly bellied Green Woodpecker (*Picus squamatus*) : 2 Chorapani ; 2 Gokarna .
 Small Scaly bellied Woodpecker (*P. chlorotophus*) : 2 Meghauli .
 Black naped Woodpecker (*P. canus*) : 2 Tarkugat ; 1 Sukhani ; 5 Dhikala .
 Large Yellow naped Woodpecker (*P. flavinucha*) : 8 + Suktim .
 Small Yellow naped Woodpecker (*P. chloropus*) : 1 Torture ; 1 Naudanda ; 1 Begnas Tal ;
 1 Chillingkot ; Many Suktim ; 2 Illam ; c20 Sukhani ; 1 Dhikala .
 Lesser Golden backed Woodpecker (*Dinopium benghalense*) : Bharatpur ; Meghauli ;
 6 Chillingkot ; c10 Suktim ; c10 Sukhani ; 1 Dhikala .
 Himalayan Golden backed Three toed Woodpecker (*D. himalayensis*) : 1 Meghauli .
 Rufous bellied Woodpecker (*Hypopicus hyperythrus*) : 2 Tadapani ; 1 Ghasa ;
 1 Pulchowki ; 1 Kalopokhari .
 Himalayan Pied Woodpecker (*Picoides himalayensis*) : 1 Ghasa .
 Darjeeling Pied Woodpecker (*P. darjellensis*) : 1 Bagarchap ; c10 Hangartham ;
 2 Kalopokhari .
 Crimson breasted Pied Woodpecker (*P. cathartus*) : 1 Ghasa .

Brown fronted Pied Woodpecker (*P. auriceps*) : 1 Pulchowki ; 2 Naini Tal .
 Fulvous breasted Pied Woodpecker (*P. macei*) : 2 Gokarna ; 1 Torture ; 1 Naudanda ;
 many Meghauli ; 3 Sukhani ; 1 Dhikala .
 Yellow fronted Pied Woodpecker (*P. maharattensis*) : Bharatpur .
 Grey crowned Pigmy Woodpecker (*P. canicapillus*) : 3 Chillingkot ; c10 Soktim ;
 4 Sukhani ; 2 Dhikala .
 Larger Golden backed Woodpecker (*Chrysocolaptes lucidus*) : 3 Dhikala .
 Bush Lark (*Mirafra assamica*) : Meghauli ; Kosi ; Sanichare ; Dhikala .
 Red winged Bush Lark (*M. erythroptera*) : Delhi Ridge .
 Ashy crowned Finch Lark (*Eneciapterix grisea*) : Bharatpur ; Meghauli ; Kosi ;
 Sanichare .
 Rufous tailed Finch Lark (*Ammomones phoenicurus*) : Bharatpur .
 Short toed Lark (*Calandrella cinerea*) : Bharatpur .
 Sand Lark (*C. raytal*) : Bharatpur ; Meghauli ; Sanichare .
 Shore Lark (*Erenaphila alpestris*) : 7 above Muktinath .
 Crested Lark (*Galerida cristata*) : Sultanpur ; Bharatpur ; Dhikala .
 Small Skylark (*Alauda gulgula*) : Delhi .
 Plain Sand Martin (*Riparia paludicola*) : Delhi ; Phewa Tal ; Meghauli ; Kosi ;
 Sanichare ; Dhikala .
 Crag Martin (*Hirundo rupestris*) : Ghasa ; Gandrung ; Birethanti ; Naini Tal .
 Dusky Crag Martin (*H. concolor*) : 2 Delhi ; c10 Agra .
 Swallow (*H. rustica*) : Sultanpur ; Agra ; Kathmandu ; Pokhara ; Meghauli ; Kosi .
 Wire tailed Swallow (*H. smithii*) : Delhi ; Sultanpur ; Bharatpur .
 Indian Cliff Swallow (*H. fluvicola*) : Sultanpur ; Bharatpur .
 Red rumped Swallow (*H. daurica*) : Agra ; Kathmandu ; Dumre ; Meghauli ; Kosi ;
 Naini Tal ; Dhikala .
 Nepal House Martin (*Delichon nipalensis*) : Besi Sahar ; Bhulbule ; Tagring ; Tal ;
 Ghasa ; Chitre ; Gandrung ; Birethanti ; Illam .
 Great Grey Shrike (*Lanius excubitor*) : Karachi ; Sultanpur ; Delhi Ridge ; Bharatpur .
 Bay backed Shrike (*L. vittatus*) : Karachi ; Bharatpur .
 Red backed Shrike (*L. collurio*) : Karachi .
 Isabelline Shrike (*L. isabellinus*) : 2 Bharatpur ; 1 Meghauli 28/12 ; 1 Sanichare 28/1
 Grey backed Shrike (*L. tephronotus*) : 1 Bhulbule 20/11 ; 1 Sukhani 10/1 .
 Rufous backed Shrike (*L. schach*) :
 Grey headed race : Sultanpur ; Delhi Ridge ; Bharatpur ; Besi sahar ; Margha ;
 Lete ; Birethanti ; Dhikala .
 Black headed race : Chovar Gorge ; Torture ; Naudanda ; Meghauli ; Illam ;
 Maipokhari .
 Brown Shrike (*L. cristatus*) : 2 Chovar Gorge 7/11 ; 1 Kosi 8/1 .
 Golden Oriole (*Oriolus oriolus*) : Bharatpur .
 Black headed Oriole (*O. xanthornus*) : Meghauli ; Sukhani ; Chillingkot ; Soktim ;
 Kosi ; Dhikala ; Dunghari .
 Maroon Oriole (*O. traillii*) : Pokhara ; Pulchowki ; Soktim ; Hangartham .
 Black Drongo (*Dicrurus adsimilis*) : Common in lowlands .
 Ashy Drongo (*D. leucophaeus*) : Gokharna ; Paundi ; Besi Sahar ; Chillingkot ;
 Soktim ; Illam ; Sukhani .
 White bellied Drongo (*D. caerulescans*) : Bharatpur ; Dunghari .
 Crow billed Drongo (*D. onnectans*) : 1 Sukhani 27/1 .
 Bronzed Drongo (*D. aeneus*) : 1 Naudanda .
 Lesser Raquet tailed Drongo (*D. renifer*) : Pokhara ; Chillingkot ; Soktim ; Dhikala
 Hair crested Drongo (*D. hettentottus*) : Birethanti ; Begnas Tal ; Sukhani ; Soktim ;
 Dhikala .
 Greater Raquet tailed Drongo (*D. paradiseus*) : Meghauli .
 Ashy Swallow Shrike (*Antamus fuscus*) : c10 Meghauli .
 Grey headed Myna (*Sturnus malabaricus*) : Sukhani ; Sanichare .
 Brahminy Myna (*S. pagodarum*) : Common in lowlands of India .
 Pied Myna (*S. contra*) : Common in Lowlands .
 Common Myna (*Acriclotheres tristis*) : Very common in cultivated areas and towns .
 Bank Myna (*A. ginginianus*) : Common in lowlands .
 Jungle Myna (*A. fuscus*) : Paundi ; Besi Sahar ; Phewa Tal ; Meghauli ; Gokharna ;
 Sukhani .

- Jay (*Garrulus glandarius*) : Bagarchap ; Pulchowki ; Naini Tal .
- Black throated Jay (*G. lanceolatus*) : c40 Naini Tal 7/2 .
- Green Magpie (*Cissa chinensis*) : Bhulbule ; Birethanti ; Naudanda ; Sukhani .
- Yellow billed Blue Magpie (*C. flavirostris*) : Lete ; Ghasa ; Tadopani ; Gandrung ; Hangartham ; Kalopokhari ; Bikabanjan .
- Red billed Blue Magpie (*C. erythrorhyncha*) : Godavari ; Paundi ; Besi Sahar ; Naudanda ; Pulchowki ; Naini Tal .
- Indian Treepie (*Dendrocitta vagobunda*) : Sultanpur ; Bharatpur ; Torture ; Paundi ; Besi Sahar ; Bhulbule ; Birethanti ; Pokhara ; Kosi ; Maipokhari .
- Himalayan Treepie (*D. formosae*) : Godavari ; Paundi ; Khudi ; Bhulbule ; Birethante ; Pulchowki ; Hangartham ; Bikabanjam .
- Nutcracker (*Nucifraga cyrcocatactes*) : Bagarchap ; Chame ; Pissang ; Lete ; Ghasa ; Gharopani ; Kalopokhari ; Bikabanjan .
- Alpine Chough (*Pyrrhocorax graculus*) : Bradang ; Gyaru ; Manang ; Thorang La .
- Chough (*P. pyrrhocorax*) : Gyaru ; Manang ; Lattar ; Muktinath ; Marpha .
- House Crow (*Corvus splendens*) : Very common in lowlands and towns .
- Jungle Crow (*C. macrorhynchus*) : Very common in all woodlands especially in hills .
- Raven (*C. corax*) : Braga ; Phedi ; Kagbeni .
- Pied Flycatcher Shrike (*Hemipus picatus*) : Gokharna ; Birethanti ; Soktim ; Sukhani ; Dhikala .
- Large Wood Shrike (*Tephrodornis virgatus*) : Soktim ; Sukhani .
- Common Wood Shrike (*T. pandicerianus*) : Delhi Ridge ; Bharatpur ; Dhikala .
- Large Cuckoo Shrike (*Coracina novaeballandiae*) : Besi Sahar ; Meghauli ; Sukhani ; Jamuna .
- Smaller Grey Cuckoo Shrike (*C. melanoptera*) : Soktim ; Sukhani .
- Scarlet Minivet (*Pericrocatus flammeus*) : Tatopani ; Naudanda ; Pokhara ; Sukhani ; Soktim .
- Short billed Minivet (*P. brevirostris*) : 3 Soktim 11/1 .
- Long tailed Minivet (*P. ethogus*) : Bharatpur ; Gokarna ; Tatopani ; Dhikala ; Dunghari .
- Yellow throated Minivet (*P. solaris*) : Sukhani .
- Small Minivet (*P. cimornorneus*) : Delhi Ridge ; Bharatpur .
- Common Iora (*Aegithina tiphia*) : Meghauli ; Illam ; Sukhani .
- Gold fronted Leaf Bird (*Chloropsis aurifrons*) : Gandrung ; Meghauli ; Sanichare ; Soktim ; Sukhani .
- Orange bellied Leaf Bird (*C. hardwickii*) : Pokhara ; Pulchowki ; Illam .
- Black headed Yellow Bulbul (*Pycnonotus melonicterus*) : Meghauli ; Soktim ; Dhikala .
- Red Whiskered Bulbul (*P. jacacus*) : Delhi Ridge ; Meghauli ; Dhikala .
- White cheeked Bulbul (*P. leucogenys*) : Common in lowlands and foothills .
- Red vented Bulbul (*P. cafer*) : Common in lowlands and foothills .
- Brown eared Bulbul (*Hypsipetes flavclud*) : Pokhara .
- Rufous bellied Bulbul (*H. mcclellandi*) : Chame ; Gandrung .
- Black Bulbul (*H. madagascarensis*) : Godavari ; Chame ; Bagarchap ; Chitre ; Gharopani ; Tadopani ; Gandrung ; Birethanti ; Naudanda ; Pokhara ; Gokharna ; Pulchowki ; Maipokhari ; Dunghari .
- White throated Bulbul (*Cringer flaveolus*) : Soktim ; Sukhani .
- Spotted Babbler (*Pellaneum ruficeps*) : Meghauli ; Soktim ; Sukhani .
- Abbot's Babbler (*Trichastoma abotti*) : 1 Sukhani .
- Slaty headed Scimiter Babbler (*Ponnatarhinchus horsfieldi*) : c15 Pokhara .
- Rufous necked Scimiter Babbler (*P. rufivollis*) : 4 Maipokhari .
- Rusty cheeked Scimiter Babbler (*P. erythrogegens*) : Bhulbule ; Bagarchap ; Jamuna ; Naini Tal .
- Scaly breasted Wren Babbler (*Pnaepyga albiventer*) : 1 Sheopuri .
- Wren Babbler sp. (*Pnaepyga sp.*) : 1 Bhulbule .
- Red headed Babbler (*Stachynis ruficeps*) : Chillingkot ; Soktim ; Jamuna .
- Black chinned Babbler (*S. pyrrhops*) : 2 Ghasa ; 3 Pulchowki ; 2 Jagat ; 2 Dhikala ; 2 Dunghari .
- Yellow breasted Babbler (*Macronous gularis*) : 3 Meghauli .
- Red capped Babbler (*Timalia pileata*) : 5 Meghauli .
- Yellow eyed Babbler (*Chtysoma sinense*) : Delhi Ridge ; Bharatpur ; Dhikala .
- Brown Parrotbill (*Paradoxornis unicolor*) : c10 Kalopokhari .
- Nepal Parrotbill (*P. nipalensis*) : c30 Bagarchap ; 4 Birethanti .
- Common Babbler (*Turdoides caudatus*) : Delhi ; Sultanpur .
- Striated Babbler (*T. earlei*) : 6 Kosi .
- Large Grey Babbler (*T. malcolmi*) : Delhi ; Sultanpur ; Bharatpur .

- Jungle Babbler (*Turdoides striatus*) : Sultanpur ; Delhi Ridge ; Bharatpur ; Megghauli ; Dhikala .
- Spiny Babbler (*T. nipalensis*) : 4 Bhulbule .
- White throated Laughing Thrush (*Garrulax albogularis*) : Sheopuri ; Gandrung ; Pulchowki ; Naini Tal .
- Necklaced Laughing Thrush (*G. manilegerus*) : c10 Chisopani ; c25 Sukhani .
- Black gorgetted Laughing Thrush (*G. pectoralis*):1 Pokhara .
- Striated Laughing Thrush (*G. striatus*) : Pulchowki ; Jamuna ; Hangartham .
- White crested Laughing Thrush (*G. leucolaphus*) : Birethanti ; Pokhara ; Pulchowki ; Maipokhari ; Dhikala .
- Variagated Laughing Thrush (*G. variagatus*) : Kodo ; Lete ; Ghasa .
- Rufous chinned Laughing Thrush (*G. rufogularis*) : Tadopani ; Birethanti ; Pokhara .
- White spotted Laughing Thrush (*G. ocellatus*) : 3 Bikabanjan .
- Streaked Laughing Thrush (*G. linneatus*) : Lete ; Ghasa ; Tadopani ; Gandrung ; Maipokhari ; Hangartham ; Naini Tal .
- Blue winged Laughing Thrush (*G. squamatus*) : 1 Bhulbule ; c15 Hangartham .
- Black faced Laughing Thrush (*G. affinis*) : Pissang ; Gorapani ; Tadopani ; Hangartham ; Kalopokhari .
- Red headed Laughing Thrush (*G. erythrocephalis*) : Sheopuri ; Tagring ; Lete ; Gandrung ; Birethanti ; Pulchowki ; Maipokhari ; Jamuna ; Hangartham ; Kalopokhari .
- Red billed Lleiiothrix (*Leiiothrix bitea*) : 1 Pokhara ; c10 Maipokhari .
- Fire tailed Myzornis (*Myzornis pyrrhaura*) : 2 Hangartham .
- Nepal Cutia (*Cutia nipalensis*) : 1 Birethanti ; 4 Pulchowki ; 6 Hangartham .
- Red winged Shrike Babbler (*Pteruthius flaviscapis*) : 5 Pulchowki ; Naini Tal .
- Green Shrike Babbler (*P. xanthochlorus*) : Hangartham ; Kalopokhari ; Naini Tal .
- White headed Shrike Babbler (*Gampsarhynchus rufulus*) : 1 Kalopokhari 19/1 .
- Hoary Barwing (*Actinodura nipalensis*) : Khudi ; Tadopani ; Hangartham ; Kalopokhari .
- Red tailed Minla (*Minla ignotucta*) : 3 Maou ; c10 Jamuna .
- Bar throated Siva (*M. strigula*) : Bhulbule ; Bagarchap ; Tadopani ; Gandrung ; Maipokhari ; Jamuna ; Hangartham .
- Blue winged Siva (*M. cyanaoptera*) : Hangartham ; Jamuna .
- Yellow naped Yuhina (*Yuhina flavicollis*) : Bhulbule ; Chamce ; Bagarchap ; Gandrung ; Birethanti ; Maipokhari ; Jamuna ; Hangartham .
- Stripe throated Yuhina (*Y. gularis*) : Bagarchap ; Tadopani ; Gandrung ; Hangartham ; Kolopokhari .
- Rufous vented Yuhina (*Y. occipitalis*) : Tadopani ; Candrung ; Hangartham ; Kalopokhari
- Black chinned Yuhina (*Y. nigrimenta*) : 5 Khudi ; 4 Bhulbule .
- White bellied Yuhina (*Y. xantholucea*) : Godavari ; Chamce ; Pokhara ; Gokharna ; Hangartham .
- Golden breasted Tit Babbler (*Alcippe chrysatis*) : c5 Hangartham .
- White browed Tit Babbler (*A. viripectus*) : Sheopuri ; Bagarchap ; Lete ; Ghasa ; Gharopani ; Tadopani ; Hangartham ; Kalopokhari .
- Chestnut headed Tit Babbler (*A. castaneiceps*) : Sheopuri ; Jamuna ; Hangartham .
- Nepal Babbler (*A. nipalensis*) : 4 Pulchowki .
- Black capped Sibia (*Heterophosia capistrata*) : Sheopuri ; Bagarchap ; Lete ; Gharopani ; Gandrung ; Pulchowki ; Maipokhari ; Jamuna ; Hangartham ; Kalopokhari ; Naini Tal .
- Brown Flycatcher (*Muscicapa latirostra*) : 1 Godavari 11/11 .
- Red breasted Flycatcher (*M. parva*) : Sultanpur ; Bharatpur ; Chovar Gorge ; Khudi ; Megghauli ; Sukhani ; Chillingkot ; Soktim ; Illam ; Dhikala .
- Orange gorgetted Flycatcher (*M. straphiata*) : Khudi ; Bhulbule ; Chamce ; Tadopani ; Gandrung ; Pokhara ; Gokarna ; Jamuna ; Dhikala .
- White gorgetted Flycatcher (*M. manileger*) : 1 Sukhani .
- Rufous breasted Blue Flycatcher (*M. hyperythra*) : 1 Torture 15/11 .
- Slaty Blue Flycatcher (*M. leucomelaura*) : Dhikala .
- Small Niltava (*M. macgrigoriae*) : 2 Pokhara .
- Rufous bellied Niltava (*M. sundara*) : 3 Soktim ; 1 Dunghari .
- Brook's Flycatcher (*M. poliogenys*) : Megghauli ; Sukhani ; Chillingkot ; Soktim ; Dhikala .
- Pale Blue Flycatcher (*M. unicolor*) : Dhikala .
- Verditer Flycatcher (*M. thalasina*) : 1 Chovar Gorge 7/11 .
- Pigmy Blue Flycatcher (*M. hodgsoni*) : Soktim .

- Grey headed Flycatcher (*Culicicapa ceylonensis*) : Bharatpur ; Torture ; Begnas Tal ; Gokharna ; Sukharni ; Chillingkot ; Soktim ; Illam ; Jamuna .
- Yellow bellied Fantail Flycatcher (*Rhipidura hyposcantha*) : Gokharna ; Sheopuri ; Godavari ; Paundi ; Besi Sahar ; Khudi ; Tatopani ; Birethanti ; Begnas Tal ; Soktim ; Illam ; Maipokhari ; Jamuna ; Dhikala .
- White browed Fantail Flycatcher (*R. aureola*) : Sultanpur ; Bharatpur .
- White Throated Fantail Flycatcher (*R. albicollis*) : Chamce ; Meghauli ; Gokharna ; Soktim ; Dhikala .
- Paradise Flycatcher (*Tesiphare paradisi*) : 1 Soktim .
- Black naped Flycatcher (*Hypothymis azurea*) : 1 Soktim .
- Dull Slatybellied Tesia (*Tesia cyaniventer*) : 1 Pokhara ; 1 Dunghari .
- Chestnut headed Tesia (*T. castaneocaronata*) : Sheopuri ; Godavari ; Birethanti .
- Large Bush Warbler (*Cettia major*) : 1 Naini Tal .
- Aborant Bush Warbler (*C. flavolivocea*) : Kosi .
- Rufous capped Bush Warbler (*C. brunnifrons*) : Dhikala .
- Gold headed Fantail Warbler (*Cisticola excilis*) : 3 Dhikala .
- Fantail Warbler (*C. juncidis*) : Meghauli ; Kosi .
- Rufous Prinia (*Prinia rufescans*) : c10 Chisapani .
- Hodgson's Prinia (*P. cinereocapilla*) : Meghauli ; Hetauda ; Dhikala .
- Plain Prinia (*P. subflava*) : Karachi ; Delhi ; Sultanpur ; Delhi Ridge ; Bharatpur ; Agra ; Kosi .
- Ashy Prinia (*P. socialis*) : Delhi ; Sultanpur ; Dhikala .
- Jungle Prinia (*P. sylvatica*) : Meghauli ; Dhikala .
- Franklin's Prinia (*P. hodgsoni*) : Sultanpur ; Delhi Ridge ; Meghauli .
- Yellow bellied Prinia (*P. flaviventris*) : 6 Kosi .
- Brown Hill Prinia (*P. criniger*) : 3 Tagring ; 1 Bagarchap ; 5 Ghasa ; 2 Tatopani ; Birethanti .
- Tailor Bird (*Orthotanus sutorius*) : Delhi ; Bharatpur ; Agra ; Bhulbule ; Chamce ; Tatopani ; Meghauli ; Kosi ; Soktim ; Maipokhari ; Sukhani .
- Striated Marsh Warbler (*Megalurus palustris*) : 5 Kosi .
- Clamorous Reed Warbler (*Acrocephalus stentareus*) : Sultanpur ; Bharatpur .
- Blyth's Reed Warbler (*A. dumetorum*) : Sultanpur ; Delhi Ridge ; Bharatpur ; Kosi .
- Paddyfield Warbler (*A. agricola*) : Bharatpur .
- Booted Warbler (*Hippolais caligator*) : 4 Kosi 28/1 .
- Orphean Warbler (*Sylvia hortensis*) : Bharatpur in early Feb.
- Lesser Whitethroat (*S. curruca*) : Sultanpur ; Bharatpur - very common in October .
- Chiffchaff (*Phylloscopus collybita*) : Sultanpur ; Bharatpur ; Meghauli ; Soktim .
- Tickell's Leaf Warbler (*P. affinis*) : 2 Dhikala .
- Olivaceous Leaf Warbler (*P. griseolus*) : Meghauli .
- Smoky Warbler (*P. fulgiventis*) : 2 Kosi .
- Dusky Warbler (*P. fuscatus*) : Begnas Tal ; Kosi .
- Orange barred Warbler (*P. pulcher*) : Sheopuri ; Pulchowki .
- Yellow browed Warbler (*P. inornatus*) : Sultanpur ; Bharatpur ; Chovar Gorge ; Gokarna ; Sheopuri ; Godavari ; Paundi ; Khudi ; Bhulbule ; Chamce ; Birethante ; Pokhara ; Fulchowki ; Soktim ; Maipokhari ; Hangartham .
- Pallas' Warbler (*P. proregulus*) : Godavari ; Kudi ; Bhulbule ; Chamce ; Bagarchap ; Lete ; Ghasa ; Tatopani ; Birethanti ; Naudanda ; Begnas Tal ; Gokharna ; Pulchowki ; Soktim ; Maipokhari ; Hangartham .
- Grey faced Warbler (*P. maculipennis*) : Khudi ; Bhulbule ; Lete ; Ghasa ; Tatopani ; Chitre ; Gandrung ; Birethanti ; Maipokhari ; Hangartham .
- Large billed Leaf Warbler (*P. magnirostris*) : 3 Jamuna .
- Greenish Warbler (*P. trochilloides*) : Delhi Ridge ; Bharatpur ; Chovar Gorge ; Sheopuri ; Godavari ; Khudi ; Birethanti ; Pokhara ; Begnas Tal ; Meghauli ; Gokarna ; Pulchowki ; Soktim .
- Large crowned Leaf Warbler (*P. occipitalis*) : 1 Khudi ; 2 Meghauli ; 5 Sukhani .
- Blyth's Leaf Warbler (*P. reguloides*) : Sheopuri ; Ghasa ; Tatopani ; Pulchowki ; Maipokhari ; Hangartham ; Jamuna ; Naini Tal .
- Black browed Warbler (*Seicercus burkii*) : Gokarna ; Sheopuri ; Khudi ; Bhulbule ; Chamce ; Bagarchap ; Tatopani ; Gandrung ; Birethanti ; Naudanda ; Pulchowki ; Soktim ; Jamuna ; Sukhani ; Dhikala .
- Grey cheeked Warbler (*S. poliogenys*) : 1 Illam .
- Grey headed Warbler (*S. xanthoschistas*) : Gokharna ; Godavari ; Khudi ; Chamce ; Bagarchap ; Ghasa ; Tatopani ; Gandrung ; Birethanti ; Naudanda ; Pulchowki ; Maipokhari ; Jamuna ; Naini Tal ; Dhikala .

- Chestnut headed Warbler (*Seicercus castaniceps*) : Pokhara ; Pulchowki ; Saktim ; Hangartham .
- Yellow bellied Warbler (*Abroscopus schisticeps*) : 4 Saktim; 1 Sukhani .
- Goldcrest (*Regulus regulus*) : Chame ; Pissang .
- Stoliczka's Tit Warbler (*Leptopaecili schiphiae*) : Ngwalbens ; Braga ; Manang ; Muktinath ; Kagbeni ; Jomosom ; Marpha .
- Siberian Rubythroat (*Erithracus calliaps*) : Sheopuri ; Khudi ; Sanichare ; Dhikala .
- Bluethroat (*E. svecicus*) : Delhi ; Sultanpur ; Bharatpur ; Agra ; Meghauli ; Kosi ; Dhikala .
- Himalayan Rubythroat (*E. pectoralis*) : 1 Bhulbule ; 1 Dhikala .
- Blue Chat (*E. livinneus*) : 1 Tagring ; 2 Bagarchap .
- Red flanked Bluetail (*E. cyanurus*) : Bagarchap ; Lete ; Ghasa ; Gharapani ; Gandrung ; Pulchowki ; Hangartham ; Kalopokhari ; Bikabanjan ; Naini Tal .
- Golden Bush Robin (*E. chrysaes*) : 1 Hangartham .
- White browed Bush Robin (*E. indicus*) : Hangartham ; Kalopokhari .
- Magpie Robin (*Capsychus saularis*) : Delhi ; Bharatpur ; Kathmandu ; Naudanda ; Pokhara ; Meghauli ; Kosi ; Saktim .
- Shama (*C. malabaricus*) : Meghauli ; Saktim ; Sukhani .
- Blue fronted Redstart (*Phoenicurus frontalis*) : Sheopuri ; Chame ; Ghasa ; Ghorapani ; Gandrung ; Birethanti ; Pulchowki ; Maipokhari ; Kalopokhari ; Naini Tal .
- Blue headed Redstart (*P. caeruleocephalus*) : Thongja ; Kalopani ; Lete ; Ghasa ; Ghorapani ; Gandrung ; Naini Tal .
- Black Redstart (*P. ochrurus*) : Sultanpur ; Bharatpur ; Torture ; Paundi .
- Hodgson's Redstart (*P. hodsoni*) : Khudi ; Chame .
- White throated Redstart (*P. schisticeps*) : Chame ; Muktinath ; Kagbeni ; Jomosom ; Kalopani .
- Guldenstadt's Redstart (*P. erythrogaster*) : Chame ; Gyaru ; Manang ; Muktinath ; Kagbeni ; Jomosom ; Marpha .
- Plumbeous Redstart (*Rhyccarnis fuliginasis*) : Common in rivers in mountains and foothills .
- Little Forktail (*Ericurus scauleri*) : Paundi ; Khudi ; Bhulbule ; Bagarchap ; Ghasa ; Birethanti .
- Black backed Forktail (*E. immaculatus*) : Paundi ; Sukhani .
- Spotted Forktail (*E. maculatus*) : Naubise ; Ghorapani ; Birethanti ; Pulchowki .
- Brown Rock Chat (*Circomela fusca*) : 2 Agra .
- Hodson's Stonechat (*Saxicola insignis*) : 3 Kosi .
- Stonechat (*S. torquata*) : Chovar Gorge ; Sheopuri ; Paundi ; Besi Sahar ; Khudi ; Bhulbule ; Tagring ; Tatopani ; Birethanti ; Naudanda ; Begnas Tal ; Meghauli ; Kosi ; Saktim ; Illam ; Hangartham ; Naini Tal ; Dhikala .
- White tailed Stonechat (*S. luecura*) : 5 Meghauli .
- Pied Stonechat (*S. caprata*) : Delhi ; Sultanpur ; Bharatpur ; Paundi ; Torture ; Khudi ; Bhulbule ; Tagring ; Meghauli ; Kosi .
- Dark Grey Bush Chat (*S. ferrea*) : Bhulbule ; Birethanti ; Illam ; Hangartham ; Jamuna ; Dhikala .
- Desert Wheatear (*Oenanthe deserti*) : 1 Bharatpur 1/2 ; 1 Karachi 16/2 .
- Eastern Pied Wheatear (*O. picata*) : 1 Bharatpur 31/10 and 1/2 .
- Indian Robin (*Saxicoloides fulicata*) : Delhi ; Bharatpur .
- White capped Redstart (*Chaimanornis leucocephalus*) : Common on rivers in mountains and foothills .
- Blue headed Rock Thrush (*Menticola cinclorhynchus*) : 1 Saktim .
- Chestnut bellied Rock Thrush (*M. rufiventris*) : 1 Saktim ; 3 Hangartham ; 2 Jamuna .
- Blue Rock Thrush (*M. solitarius*) : 3 Kosi .
- Blue Whistling Thrush (*Myropharus caeruleus*) : Paundi ; Khudi ; Bhulbule ; Tal ; Bagarchap ; Marpha ; Lete ; Ghasa ; Tatopani ; Ghorapani ; Tadopani ; Gandrung ; Hangartham ; Kalopokhari ; Naini Tal ; Dhikala .
- Orange headed Ground Thrush (*Zoothera citrina*) : 1 Bharatpur 28/10 .
- Plain backed Mountain Thrush (*M. mollissima*) : Hangartham ; Kalopokhari .
- Long tailed Mountain Thrush (*Z. discinai*) : Gandrung ; Hangartham ; Kalopokhari ; Mabu .
- White's Thrush (*Z. dauma*) : 5 Gokarna ; Hangartham .
- Large Brown Thrush (*Z. maticola*) : 1 Birethanti 21/12 .
- White collared Blackbird (*Turdus albocinctus*) : Bagarchap ; Ghasa ; Gandrung ; Pulchowki ; Hangartham ; Kalopokhari .

- Grey winged Blackbird (*Turdus boulboul*) : Bagarchap ; Maipokhari ; Hangartham ; Naini Tal ; Dhikhala .
- Grey headed Thrush (*T. rubrocanus*) : 1 Naini Tal .
- Black Throated Thrush (*T. ruficolis*) :
- Black throated race : Bhulbule ; Bagarchap ; Chame ; Lete ; Ghasa ; Ghorapani ; Gandrung ; Birethanti ; Pulchowki ; Hangartham ; Kalopokhari ; Sandakphu ; Bikabanjan ; Naini Tal ; Dhikala ; Dunghari .
- Red throated race : Pissang ; Gyaru ; Manang .
- Mistle Thrush (*T. viscivorus*) : 3 Lete .
- Wren (*Troglodytes troglodytes*) : Jomosom ; Marpha ; Lete ; Pulchowki .
- Brown Dipper (*Cinclus pallasii*) : Besi Sahar ; Khudi ; Tagring ; Tal ; Bagarchap ; Manang ; Jomosom ; Lete ; Ghorapani ; Gandrung ; Birethanti .
- Altai Accentor (*Prunalla himalayana*) : Lattar ; Phedi ; Thorang La ; Naini Tal .
- Robin Accentor (*P. rubeculoides*) : Bragga ; Manang ; Muktinath ; Kagbeni .
- Rufous breasted Accentor (*P. strophciata*) : Gyaru ; Ghasa ; Ghorapani ; Gandrung ; Maipokhari ; Hangartham .
- Brown Accentor (*P. fulvescens*) : Pissang ; Gyaru ; Braga ; Manang ; Phedi ; Thorang La ; Muktinath ; Kagbeni ; Jomosom ; Marpha .
- Maroon backed Accentor (*P. imaculator*) : 1 Pissang 26/11 ; 2 Hangartham 18/1 .
- Grey Tit (*Parus major*) : Tatopani ; Birethanti ; Naudanda ; Begnas Tal ; Meghauri ; Kosi ; Suktim ; Sukhani ; Dhikala .
- Green backed Tit (*P. monticolus*) : Sheopuri ; Tagring ; Tal ; Bagarchap ; Lete ; Ghasa ; Tatopani ; Gandrung ; Birethanti ; Pulchowki ; Maipokhari ; Hangartham ; Naini Tal .
- Crested Black Tit (*P. melanalophus*) : Naini Tal .
- Coal Tit (*P. ater*) : Bagarchap ; Chame ; Pissang ; Marpha ; Lete ; Ghasa ; Sandakphu ; Bikabanjan .
- Rufous bellied Crested Tit (*P. rabidiventrus*) :
- Rufous bellied race : Pissang ; Manang ; Ghorapani ; Tadopani .
- 'Sikkim Black Tit' : Sandakphu ; Bikabanjan .
- Brown Crested Tit (*P. dichorus*) : Chame ; Pissang ; Gyaru ; Marpha ; Lete ; Ghasa ; Ghorapani ; Tadopani ; Kalopokhari ; Sandakphu .
- Yellow cheeked Tit (*P. xanthogenys*) : Gokarna ; Sheopuri ; Godavari ; Torture ; Paundi ; Besi Sahar ; Khudi ; Tatopani ; Birethanti ; Naudanda ; Pokhara ; Pulchowki .
- Yellow browed Tit (*Sylviparus modestus*) : Sheopuri ; Ghasa ; Ghorapani ; Tadopani ; Gandrung ; Hangartham ; Kalopokhari .
- Red headed Tit (*Aegithalus concinnus*) : Sheopuri ; Godavari ; Marpha ; Lete ; Gandrung ; Pulchowki ; Maipokhari ; Hangartham ; Naini Tal ; Dhikala .
- Rufous fronted Tit (*A. iauschistas*) : 4 Kalopokhari 19/1 .
- Chestnut bellied Nuthatch (*Sitta castanea*) : Gokarna ; Barabese ; Chitre ; Naudanda ; Pokhara ; Meghauri ; Suktim ; Sukhani ; Bharatpur ; Dhikala ; Dunghari .
- White tailed Nuthatch (*S. himalayensis*) : Lete ; Ghasa ; Chitre ; Hangartham ; Naini Tal .
- Velvet fronted Nuthatch (*S. frontalis*) : Gokarna ; Godavari ; Barabese ; Tatopani ; Pokhara ; Meghauri ; Suktim ; Sukhani ; Dhikala .
- Wallcreeper (*Tichodroma mauraria*) : Barabese ; Gyaru ; Braga ; Kagbeni ; Marpha ; Naini Tal .
- Spotted Grey Creeper (*Salparnis spilonatas*) : 1 Bharatpur .
- Treecreeper (*Certhia familiaris*) : Bagarchap ; Sirkung ; Lete ; Ghasa ; Sandakphu .
- Himalayan Treecreeper (*C. himalayana*) : Naini Tal .
- Nepal Treecreeper (*C. nipalensis*) : Hangartham ; Kalopokhari .
- Olive backed Pipit (*Anthus hodgsoni*) : Bharatpur ; Godavari ; Khudi ; Bhulbule ; Tagring ; Tal ; Bagarchap ; Ghasa ; Birethanti ; Naudanda ; Meghauri ; Gokarna ; Illam ; Maipokhari ; Sukhani ; Dhikala .
- Paddyfield Pipit (*A. novaeseelandiae*) : Delhi ; Gokarna ; Dumre ; Torture ; Naudanda ; Meghauri ; Hetauda ; Kosi ; Sanechare ; Bharatpur ; Dhikala .
- Tawney Pipit (*A. campestris*) : Sultanpur .
- Vinaceous breasted Pipit (*A. roseatus*) : 40+ Kosi .
- Long billed Pipit (*A. similis*) : 1 Dhikala .
- Water Pipit (*A. spinoletta*) : 1 Hetauda 6/1 ; 2 Kosi 7/1 .
- Upland Pipit (*A. sylvavis*) : 1 Birethanti ; 1 Naudanda .

- Yellow Wagtail (*Montocilla flava*) : Delhi ; Meghauli ; Kosi .
Citrine Wagtail (*M. citreola*) : Delhi ; Sultanpur ; Meghauli ; Kosi ; Bharatpur .
Grey Wagtail (*M. cinerea*) : Godavari ; Torture ; Khudi ; Bhulbule ; Naudanda ; Sukhani .
Pied Wagtail (*M. alba*) : Karachi ; Bharatpur ; Gokarna ; Gandrung ; Birethanti ; Phewa Tal ; Meghauli ; Kosi ; Dhikala .
Large Pied Wagtail (*M. melanoxanthum*) : Delhi ; Bharatpur ; Chovar Gorge ; Torture ; Khudi ; Bhulbule ; Begnas Tal ; Meghauli ; Kosi ; Dhikala .
Fire breasted Flowerpecker (*Dicaeum ogile*) : Sheopuri ; Godavari ; Lete ; Tadopani ; Gokarna ; Pulchowki ; Maipokhari ; Jamuna .
Thick billed Flowerpecker (*D. ignipectus*) : Bharatpur .
Yellow bellied Flowerpecker (*D. melanoxanthum*) : 1 Hangarham .
Purple Sunbird (*Nectarinia asiatica*) : Karachi ; Sultanpur ; Bharatpur ; Kosi ; Dunghari .
Mrs. Gould's Sunbird (*Aethogypa gouldiae*) : 1 Pulchowki 3/1 .
Nepal Sunbird (*A. nipalensis*) : Sheopuri ; Tagring ; Pulchowki ; Maipokhari ; Hangarham .
Black breasted Sunbird (*A. saturata*) : Khudi ; Tagring .
Yellow backed Sunbird (*A. sipcraja*) : Khudi ; Birethanti ; Soktim ; Sukhani .
Fire tailed Sunbird (*A. ignicauda*) : Khudi ; Birethanti ; Hangarham .
Streaked Spiderhunter (*Arachnathera magna*) : Soktim ; Sukhani .
White eye (*Zosterops palpebrosa*) : Bharatpur ; Khudi ; Birethanti ; Pulchowki ; Illam ; Dhikala .
House Sparrow (*Passer domesticus*) : Dheli ; Sultanpur ; Bharatpur ; Naudanda ; Pokhara ; Meghauli ; Kosi ; Sanichare ; Naini Tal ; Karachi .
Spannish Sparrow (*P. hispaniolensis*) : Sultanpur ; Bharatpur .
Tree Sparrow (*P. montanus*) : Kathmandu ; Pissang ; Manang ; Muktinath ; Kagbeni ; Jomosom ; Lete ; Gandrung ; Naudanda ; Pokhara .
Cinamon Tree Sparrow (*P. vutilans*) : Phallate ; Chitre ; Naini Tal .
Yellow throated Sparrow (*P. xanthocollis*) : Bharatpur .
Haya (*Ploceus philippinus*) : Maghauli ; Sanichare ; Bharatpur .
Red Munia (*Estrilda amondoria*) : Sultanpur ; Bharatpur ; Dhikala .
White throated Munia (*Lanchura malabarica*) : Kosi ; Bharatpur .
White backed Munia (*L. striata*) : Paundi ; Khudi ; Tagring .
Spotted Munia (*L. punctulata*) : Delhi ; Bharatpur ; Kathmandu ; Meghauli ; Kosi .
Allied Grosbeak (*Coccothraustes affinis*) : Lete ; Ghasa .
White winged Grosbeak (*C. carnipes*) : Pissang ; Gyaru ; Manang ; Lattar .
Himalayan Greenfinch (*Carduelis spinoides*) : Sheopuri ; Birethanti .
Red fronted Serin (*Serinus pusillus*) : Manang ; Tukuche .
Hodgson's Mountain Finch (*Leucosticte nemaricola*) : Pissang ; Mannang ; Lattar ; Thorang La ; Phallate ; Gandrung ; Naini Tal .
Brandt's Mountain Finch (*L. brandti*) : 3 above Muktinath 4/12 .
Nepal Rosefinch (*Carpodacus nipalensis*) : Ghasa ; Phallate ; Gandrung ; Pulchowki ; Hangarham ; Maipokhari ; Bikabanjan .
Pink browed Rosefinch (*C. rhodochrous*) : Bagarchap ; Naini Tal .
Spot winged Rosefinch (*C. rhodopelas*) : Sheopuri ; Tal ; Ghasa ; Phallate ; Ghorapani .
White browed Rosefinch (*C. thura*) : Pissang ; Chitre ; Bikabanjan .
Beautiful Rosefinch (*C. pulcherrinus*) : Pissang ; Gyaru ; Manang ; Lattar ; Muktinath ; Marpha ; Lete ; Ghasa ; Ghorapani ; Kalopokhari .
Crossbill (*Loxia curvirostra*) : Ghorapani .
Red headed Rosefinch (*Propyrrhula subhinachola*) : 2 Ghorapani .
Gold headed Blackfinch (*Phyroplectes epailetta*) : 1 Hangarham .
Red headed Bullfinch (*Pyrrhula erythrocephala*) : Sheopuri ; Lete ; Ghasa ; Kalopokhari .
Pine Bunting (*Emberzia leucocephalus*) : 1 Temung ; 2 Koketani .
Black headed Bunting (*E. melanocephala*) : 2 Kosi 8/1 .
Yellow breasted Bunting (*E. aureola*) : Phewa Tal ; Meghauli ; 2500 Kosi .
White capped Bunting (*E. stewarti*) : 1 Sultanpur 24/10 .
Rock Bunting (*E. cia*) : Bhulbule ; Pissang ; Gyaru ; Manang ; Kagbeni ; Jomosom ; Sirkung ; Tatopani ; Gandrung .

Grey headed Bunting (*E. fucata*) : 1 Dhikala .
Little Bunting (*E. pusilla*) : 2 Gandrung ; many Maipokhari ; c20 Hangartham ;
c30 Mabu .
Crested Bunting (*Melampus lathami*) : 1 Paundi ; 2 Meghauli ; 4 Illam .

Mammals

Rhesus Macaque (*Macaca mulatta*) : Bharatpur ; Bhulbule ; Tagring ; Meghauli ;
Gokarna ; Sukhani ; Dhikala ; Dunghari .
Assamese Macaque (*M. assamensis*) : 5 Soktim ; c15 Kalopokhari .
Common Langur (*Presbytes entellus*) : Bhulbule ; Jagat ; Bagarchap ; Lete ;
Ghasa ; Ghorapani ; Tadopani ; Sanichare ; Sukhani ; Soktim ; Naini Tal ;
Dhikala .
Tiger (*Panthera tigris*) : 5 seen (family group , 3-4 well grown young) Meghauli ;
Footprints and heard Dhikala .
Jungle Cat (*Felix chaus*) : 1 Bharatpur .
Common Mongoose (*Herpestes edwardsi*) : Sultanpur ; Delhi ; Bharatpur ;
Meghauli ; Pokhara .
Indian Fox (*Vulpes bengalensis*) : 2 Kosi .
Jackal (*Canis aureus*) : Bharatpur ; Meghauli ; Dhikala .
Red Panda (*Ailurus fulgens*) : 1 Sandakphu 22/1 .
Smooth Indian Otter (*Lutra perspicillata*) : Delhi (River Yamuna) ; Bharatpur .
Yellow Throated Marten (*Martes flavigula*) : 1 Sukhani .
Beech Marten (*M. foina*) : 4 Bhulbule .
Indian Flying Fox (*Pteropus giganteus*) : many Royal Palace, Kathmandu .
Hoary bellied Himalayan Squirrel (*Callosciurus pygerythrus*) : Paundi ; Begnas Tal ;
Soktim .
Five striped Palm Squirrel (*Funambulus pennanti*) : Delhi ; Agra ; Bharatpur .
Himalayan Mouse Hare (*Ochotana roylei*) : Braga ; Manang .
Bharal (*Pseudais nayaur*) : 12 Manang ; 4 Phedi .
Nilgai (*Baselophus tragocanclus*) : Bharatpur .
Chital (*Axis ecsis*) : Meghauli ; Gokarna ; Bharatpur ; Dhikala ; Dunghari .
Hog Deer (*A. parcinus*) : Meghauli ; Dhikala .
Muntjac (*Muntiacus muntjak*) : Gokarna ; Dhikala ; Dunghari .
Wild Boar (*Sus scrofa*) : Bharatpur ; Dhikala .
Indian Elephant (*Elephas maximus*) : 2 Dhikala ; 1 Dunghari .
Indian one horned Rhinoceros (*Rhinoceros unicornis*) : 2 Meghauli .
Grey Musk Shrew (*Suncus murinus*) : 1 Bharatpur city .
Gangetic Dolphin (*Platanista gangetica*) : 3+ Kosi .

John Calladine , 28 Chapel Street , Ripley , Derby , DE5 3DL . ENGLAND .