BIRDS AND MAMMALS

SEEN ON "SkOF"-TOUR TO

INDIA AND NEPAL

19.4 - 9.5.1986

bУ

Carl-Axel Bauer

Contents

Introduction		p.2
Khumbu - Everest National Park	: Trekking-route and	
	Heights	p.3
	: Maps	p.4-5
	: Birds	p.6-11
	: Mammals	p.12
Birds seen in New Delhi 19.4 -	20.4	p.13
Birds seen in Kathmandu Valley	20.4 and 9.5	p.14
Birds seen in Chitwan National	Park 6.5 - 8.5	p.15-16
Mammals seen in New Delhi, Kathm	p.17	

FOREWORD AND INTRODUCTION

On initiative of CAB, SkOF (Skånes Ornithological Society) arranged this tour to Nepal in April-May 1986. The primary objective of the tour was to study the birds and mammals in the most magnificent of national parks on earth - Everest National Park! However, we also had the opportunity of visiting some excellent birding areas in the Kathmandu valley, as well as one of the richest national parks in Asia, Chitwan N.P.On the way to Nepal we had the pleasure of spending some 24 hours in New Delhi. On the following pages you will find lists with our observations of birds and mammals from these areas.

Altogether 288 bird species and 16 mammals were definitely identified. Of these, only 78 were observed within the Everest NP - a reflection of the high altitude and rather cool climate of the park. However, many of these species were highly interesting to see, because they are usually not - in some cases never - found outside the high Himalaya! Furthermore, the magnificent sceneries added an extra dimension to the birdwatching in the park!

The bird-lists are arranged according to Inskipp and Inskipp "A guide to the birds of Nepal" (1985), in terms of the order of the birds and their latin names. Reference to this book is simply made as "Inskipp". For practical reasons, however, the the english names of the birds follow Fleming et al. "Birds of Nepal" (1984) - the commonly used field-guide in the area. Mammals are arranged according to Prater "The book of Indian animals" (1980).

Finally, I would like to thank my 7 fellow birdwatchers for their never failing enthusiasm and good fellowship. We thank our technical tour arrangers, Scanasia Resor (Göteborg) and Transhimalaya Trekking (Kathmandu) for fine arrangements. We are also indebted to our sardar, Mr. Lhakpa Isering Sherpa (Namche) and his staff, for excellent guiding and service throughout the trekk. I also acknowledge the many valuable suggestions of Mr. Raj Singh (New Delhi).


Lund, Sweden, September 14, 1986.


Carl-Axel Bauer

Kruthornsgr. 16, S-222 52 Lund, Sweden


TREKKING-ROUTE AND HEIGHTS

- 21.4: Kathmandu Lukla (2850 m) Chaunrikarka Phakding (camp at river side west of Dudh Kosi).
- 22.4: Phakding (2800 m) Benkar Chumo (camp).
- 23.4 : Chumo (2800 m) Thaog Everest National Park entrance Imja Khola Namche Bazar (3441 m). Camp above Namche (3500 m)
- 24.4: Namche Syangboche (3700 m) Everest View Hotel (3860 m) "Pheasant" camp (3650 m), between Khumjung and Trashinga.
- 25.4 : Pheasant camp and surroundings.
- 26.4: Pheasant camp Trashinga Imja Khola Phunki (3250 m) Thyangboche (3867 m) Pangboche (4000 m), camp.
- 27.4: Pangboche Orsho (4100 m) Tsuro Og (4135 m) Dingboche (4360 m), camp.
- 28.4: Dingboche Chukung (4730 m), camp. Trekking up to 4800 m.
- 29.4: Chukung (trekking up to 5000 m) Dingboche (camp).
- 30.4 : Dingboche Tsuro Og Pangboche Thyangboche (camp).
- 1.5: Thyangboche Phunki Imja Khola Trashinga Pheasant camp (camp).
- 2.5 : Pheasant camp Namche Imja Khola Thaog Chumo (camp).
- 3.5 : Chumo Benkar Phakding Chaunrikarka Lukla (camp).
- 4.5: Lukla and surroundings (camp at Lukla).
- 5.5 : Lukla Kathmandu.





MAP OF EVEREST NATL. PARK



BIRDS

KHUMBU - EVEREST NATIONAL PARK

DARK KITE (Milvus migrans): a few seen around Lukla and Namche and several above 4200 m, with a max. of 7 birds at 4800 m Chukung, 29.4.ENP

BEARDED VULTURE (Gypaetus barbatus) : 1-4 birds seen regularly from 2700 m to 4200 m.ENP

HIMALAYAN VULTURE (Gyps himalayensis): regular up to 4600 m (max. 6 per day).ENP

HEN HARRIER (Circus cyaneus): 1 female close to Lukla 3.5.

GOSHAWK (Accipiter gentilis): 1 close to Thyangboche. ENP

SPARROWHAWK (A. nisus): 4 between Lukla and Chumo, 1 at Pheasant camp. ENP

EURASIAN BUTEO (Buteo buteo): totally 7 sightings from 2700 m to 4000 m. Not earlier reported above 3000 m (Inskipp). ENP

LONG-LEGGED BUTEO (B. rufinus): 1 at 2700 m and 1 at 4000 m (Pangboche).Not earlier reported above 2700 m (Inskipp).ENP

STEPPE EAGLE (Aquila rapax nipalensis) : 3 birds seen between 3000 m and 4000 m.ENP

GOLDEN EAGLE (A. chrysaetos): 1-2 birds seen almost daily up to 4700 m.ENP

EURASIAN KESTREL (Falco tinnunculus) : 5 sightings, from 3800 m to 4800 m.ENP

PEREGRINE FALCON (F. peregrinus): 1 at 4200 m.ENP

TIBETAN SNOWCOCK (Tetraogallus tibetanus): 2 seen and heard around Dingboche. ENP

BLOOD PHEASANT (Ithaginis cruentus): up to 4 birds seen at Thyangboche. ENP

IMPEYAN PHEASANT (Lophophorus impejanus) : noted from 3500 m to 4000 m.Common at 3700 m, around Pheasant camp. ENP

KALIJ PHEASANT (Lophura leucomelana): 1 male at Pheasant camp, 3700 m, slightly above earlier height record (Inskipp). ENP

IBISBILL (Ibidorhyncha struthersii): 1 displaying male and 1 incubating female at the river beds of Imja Khola, Pangboche, 4000 m. Apparently first breeding record within ENP (Inskipp). ENP

SNIPE SP.(Gallinago sp.) : 1 at Imja Khola, Pangboche ,4000 m. $\ensuremath{\mathtt{ENP}}$

SNOW PIGEON (Columba leuconota) : common from 3400 m to 4750 m. $\ensuremath{\mathtt{ENP}}$

RUFOUS TURTLE DOVE (Streptopelia orientalis): common from 2700 m to 4000 m.ENP

WEDGE-TAILED GREEN PIGEON (Treron sphenura): 2 at Chumo, 2800 m. Earlier not noted above 2400 m (Inskipp).

EURASIAN CUCKOO (Cuculus canorus): a few heard near Lukla.

HIMALAYAN CUCKOO (C. saturatus): a few heard near Lukla.

TAWNY WOOD OWL (Strix aluco): heard at Pheasants camp and at Thyangboche. ENP

EDIBLE NEST SWIFTLET (Collocalia brevirostris) : locally common at 2700 m.

LARGE WHITE-RUMPED SWIFT (Apus pacificus) : 25 seen above Phakding and 10 above Pangboche. ENP

DARJEELING WOODPECKER (Dendrocopus darjellensis) : 2 sightings around Lukla.

LITTLE SKYLARK (Alauda gulgula) : a few heard and seen around Namche, 3500 m.ENP

CRAG MARTIN (Ptyonoprogne rupestris): a few between Lukla and Phakding.

NEPAL HOUSE-MARTIN (Delichon nipalensis): locally common between Lukla and Chumo.1 at Thyangboche 1.5.ENP

BLYTH'S PIPIT (Anthus godlewski) (?): 2 birds seen at Dingboche probably belonged to this species. ENP

HODGSONS TREE PIPIT (A. hodgsoni): common from 2700 m to 4000 m.ENP

ROSE-BREASTED PIPIT (A. roseatus): locally quite common from 2700 m at least to 4400 m.ENP

GREY WAGTAIL (Motacilla cinerea): a few seen around Lukla and 2 at Pangboche. ENP

PIED WAGTAIL (M. alba): 1 seen along Dudh Kosi and 2 at Pangboche. ENP

LONG-TAILED MINIVET (Pericrocotus ethologus): up to 10 seen between Lukla and Chumo.

BROWN DIPPER (Cinclus pallasii): a few seen almost daily, up to Dingboche. ENP

WREN (Troglodytes troglodytes): about 10 sightings,up to 4600 m.ENP

RUFOUS-BREASTED ACCENTOR (Prunella strophiata): seen from 3700 m to 4900 m, common at the higher elevations. ENP

ROBIN ACCENTOR (P.rubeculoides): from 4000 m to 4800 m, common at the higher elevations. ENP

ALPINE ACCENTOR (P.collaris): 1 at Chukung, 4800 m.ENP

BLUE CHAT (Luscinia brunnea): several singing males between Chumo and Lukla, in early May.

ORANGE-FLANKED BUSH-ROBIN (Tarsiger cyanurus) : 15-20 seen between 3700 m and 4200 m.ENP

BLUE-FRONTED REDSTART (Phoenicurus frontalis): quite common to common from 3600 m to 4900 m.ENP

GULDENSTADT'S REDSTART (Ph. erythrogaster): 1 male at Chukung, 4800 m. ENP

PLUMBEOUS REDSTART (Rhyacornis fuliginosus): a few along Dudh Kosi river.ENP

GRANDALA (Grandala coelicolor): 10-15 at 4200 m and 15-20 near Thyangboche. ENP

DARK-GREY BUSHCHAT (Saxicola ferrea): about 20 seen between Lukla and Chumo and 1 just within the park borders. ENP

WHITE-CAPPED RIVERCHAT (Chaimarrornis leucocephalus): a few birds seen daily, from 2700 m to 4600 m.ENP

CHESTNUT-BELLIED ROCK-THRUSH (Monticola rufiventris): 1 male at Phakding.

WHISTLING THRUSH (Myiophoneus caerulens): common from 2700 m to 3900 m.ENP

PLAIN-BACKED MOUNTAIN THRUSH (Zoothera mollissima): 1-2 at Thyangboche. ENP

WHITE-COLLARED BLACKBIRD (Turdus albocinctus): 1-2 females close to Lukla.

RED-THROATED THRUSH (T. ruficollis ruficollis): 1 male close to Pheasant camp.ENP

LITTLE FORKTAIL (Enicurus scouleri) : 2 between Chumo and Phakding.

RUFOUS-CAPPED BUSH WARBLER (Cettia brunnifrons): a few seen from 2700 m to 4000 m.Quite common south of Lukla.ENP

YELLOW-EYED WARBLER (Seicercus burkii): quite common between Lukla and Chumo.A few below Namche.ENP

CHESTNUT-CROWNED WARBLER (S. castaniceps): 1 seen between Lukla and Phakding 21.4. Apparently first record for Khumbu (Inskipp).

GREY-HEADED WARBLER (S.xanthoschistos): 1 seen between Lukla and Phakding.

CROWNED LEAF WARBLER (Phylloscopus reguloides): guite common up to 3000 m.A few below Thyangboche. ENP

LARGE CROWNED LEAF WARBLER (Ph. occipitalis): 2 between Chumo and Lukla, 3.5. Apparently first records for Khumbu (Inskipp).

DULLGREEN LEAF WARBLER (Ph. trochiloides): a few noted between Lukla and Chumo.

LARGE-BILLED LEAF WARBLER (Ph. magnirostris): noted on 4 days below 2900 m, with a max. of 7 noted between Chumo and Lukla.3.5

ORANGE-BARRED LEAF WARBLER (Ph. pulcher): several (max. 10) seen between 3700 m and 3900 m.ENP

GREY-FACED LEAF WARBLER (Ph.maculipennis): 5 and 2 birds reported seen north of Lukla 21.4 and 3.5, respectively.

YELLOW-RUMPED LEAF WARBLER (Ph. proregulus): quite common up to 4000 m.ENP

PLAIN LEAF WARBLER (Ph.inornatus): somewhat less common than proregulus. Seen up to 4000 m, much higher than reported by Inskipp. ENP

SMOKY LEAF WARBLER (Ph.fuligiventer) (?): 1 bird reported seen south of Chumo, believed to belong to this species.

TICKELL'S LEAF WARBLER (Ph. affinis): seen from 3500 m to 4700 m, quite common at the higher elevations. ENP

BROWN LEAF WARBLER (Ph. collybita): 1-2 seen south of Chumo on 3.5, at 2800 m. Apparently not earlier observed in Khumbu (Inskipp).

GOLDCREST (Regulus regulus): a few close to Thyangboche.ENP VERDITER FLYCATCHER (Muscicapa thalassina): a few between Lukla and Chumo.

FERRUGINOUS FLYCATCHER (M. ferruginea): 1 between Chumo and Lukla.

SOOTY FLYCATCHER (M. sibirica): a few around Chumo.

SLATY-BLUE FLYCATCHER (Ficedula tricolor): totally 4-5 seen including 1 stationary male at Pheasant camp.ENP

ORANGE-GORGETTED FLYCATCHER (F. strophiata): a few around Lukla and 2 close to Thyangboche. ENP

YELLOW-BREASTED FANTAIL FLYCATCHER (Rhipidura hypoxantha): quite common below 3000 m.A few seen close to Thyangboche.ENP STREAKED LAUGHING-THRUSH (Garrulax lineatus): up to 10 seen daily below 3000 m.

BLACK-FACED LAUGHING-THRUSH (G. affinis): seen from 2700 m up to 3900 m (10 at Thyangboche). ENP

RED-HEADED LAUGHING-THRUSH (G. erythrocephalus): a few seen below 3000 m.

HOARY BARWING (Actinodura nipalensis): 1 near Lukla.

BAR-THROATED MINLA (Minla strigula): 5 seen below 2800 m.

CHESTNUT-HEADED TIT BABBLER (Alcippe castaneceps): about 10 noted between Lukla and Chumo.

WHITE-BROWED TIT BABBLER (A. vinipectus): 5-6 seen between Lukla and Namche. 1 seen at Pheasant camp. ENP

BLACK-CAPPED SIBIA (Heterophasia capistrata): common below 2800 m,a few slightly higher.ENP

STRIPE-THROATED YUHINA (Yuhina gularis): 1 near Lukla.

RUFOUS-VENTED YUHINA (Y. occipitalis): 1 between Chumo and Namche, 1 near Lukla. ENP

RUFOUS-FRONTED TIT (Aegithalos iouschistos): 1 near Lukla.

RED-HEADED TIT (A. concinnus): 10 between Lukla and Phakding.

CRESTED BROWN TIT (Parus dichrous) : about 25 sightings from 2700 m to 4000 m.ENP $\,$

SIKKIM BLACK TIT (P.rubidiventris) : common from 3500 m to 4000 m.ENP

COAL TIT (P. ater) : about 20 sightings from 2700 m to 4000 m. $\ensuremath{\mathtt{ENP}}$

GREEN-BACKED TIT (P.monticolus): quite common between Lukla and Chumo.

WALLCREEPER (Tichodroma muraria): 1 seen above Imja Khola at Phunki and 1 below Namche at Dudh Kosi. ENP

NORTHERN TREECREEPER (Certhia familiaris): about 10 seen between 3500 m and 4000 m.ENP

NEPAL SUNBIRD (Aethopyga nipalensis): a few between Lukla and Chumo.

BLACK-HEADED SHRIKE (Lanius schach tricolor): 1 at 2800 m, between Chumo and the ENP entrance.

GREY-BACKED SHRIKE (L. tephronotus): about 10 between Lukla and Pheasant camp. ENP

YELLOW-BILLED BLUE MAGPIE (Urocissa flavirostris): about 15 seen between Lukla and the park entrance. ENP

NUTCRACKER (Nucifraga caryocatactes hemispila): seen and heard quite regularly below 3000 m.A few just below Thyangboche.ENP

YELLOW-BILLED CHOUGH (Pyrrhocorax graculus): quite common to common above 3000 m.ENP

RED-BILLED CHOUGH (P.pyrrhocorax): quite common to common above 3000 m.ENP

JUNGLE CROW (Corvus macrorhynchos): common from 2700 m up to 4400 m.A few at 4800 m.ENP

CINNAMON SPARROW (Passer rutilans): a pair was seen in the fields around Dingboche, 4400 m, 27.4, and a male was seen in the same area 29.4, showing all important fieldmarks well. According to Inskipp, the species has not earlier been reported east of Kathmandu! ENP

TREE SPARROW (P. montanus): a few seen in Lukla and quite a few in Namche. ENP

HODGSON'S MOUNTAIN-FINCH (Leucosticte nemoricola): common above 4300 m.ENP

BEAUTIFUL ROSEFINCH (Carpodacus pulcherrimus): a few seen between Lukla and Namche, common between 3500 m and 4600 m.ENP

WHITE-BROWED ROSEFINCH (C. thura): 2 seen at Namche and 3 at Thyangboche. ENP

GREAT ROSEFINCH (C. rubicilla): 6-8 seen at Chukung between 4700 m and 5000 m.ENP

RED-BREASTED ROSEFINCH (C.puniceps) : 2 near Pangboche.ENP

RED-HEADED BULLFINCH (Pyrrhula erythrocephala) : 1 male close to Pheasant camp.ENP

WHITE-WINGED GROSBEAK (Mycerobas carniceps) : about 30 seen between Namche and Pangboche.ENP

MAMMALS

KHUMBU - EVEREST NATIONAL PARK

HIMALAYAN BLACK BEAR (Selenarctos thibetanus): 1 seen 23.4 around 18 o clock, at 3500 m , from the ENP museum, over the Imja Khola river valley, on the slopes of Tramserku. ENP

ORANGEBELLIED HIMALAYAN SQUIRREL (Dremomys lokriah) : 1 between Lukla and Phakding.

HIMALAYAN MOUSE-HARE (Ochotona roylei): 1 seen between Lukla and Phakding and 3 at Chukung Yak Pasture (4800 m) were probably of this species. ENP

HIMALAYAN THAR (Hemitragus jemlahicus): seen almost daily (3-20 animals) from 3000 m to 4200 m.ENP

 ${\tt GORAL}$ (Nemorhaedus goral) : several seen from 2800 m to 4000 m. ${\tt ENP}$

MUSK DEER (Moschus moschiferus) : a few seen around Pheasant camp, 3700 m.ENP

BIRDS SEEN IN NEW DELHI

19.4 - 20.4.1986

Most birds in this list were observed at Delhi zoo (all wild) and at Qutab Minar.

LITTLE GREBE: 2

LITTLE CORMORANT : 5-10

INDIAN SHAG: 200

WHITE PELICAN: 25

NIGHT HERON: 25-50

POND HERON: 5-10

CATTLE EGRET: 10

LITTLE EGRET: 10-20

LARGE EGRET: 1

PAINTED STORK: 4

SPOTBILL DUCK: 40 !

DARK KITE: very common

EGYPTIAN VULTURE: 10

WHITE-BACKED VULTURE: common

INDIAN GRIFFON: 2-3

BLACK VULTURE: 2

WHITE-BREASTED WATERHEN: 2

INDIAN GALLINULE: 10

BRONZE-WINGED JACANA: 2

THICK-KNEE: 1

RED-WATTLED LAPWING: 5

BLUE ROCK PIGEON: 50

INDIAN RING DOVE : common

LITTLE BROWN DOVE : common

ROSE-RINGED PARAKEET: common

HOUSE SWIFT: quite common

WHITE-BREASTED KINGFISHER: 3-4

SMALL PIED KINGFISHER: 1

GREEN BEE-EATER: 1

HOOPOE: 5

GREY HORNBILL: 1

DUSKY CRAG MARTIN: 3-5

STRIATED SWALLOW: 2

RICHARD'S PIPIT : 1

LARGE PIED WAGTAIL: 2

RED-WHISKERED BULBUL: 2

RED-VENTED BULBUL : abundant

MAGPIE-ROBIN : a few

BROWN ROCK CHAT: 1

LESSER WHITETHROAT: 1

LARGE GREY BABBLER: 3

JUNGLE BABBLER: 5

PURPLE SUNBIRD : quite common

WHITE-EYE : 2

GOLDEN ORIOLE: 2

BLACK DRONGO: quite common

HOUSE CROW: common

JUNGLE CROW: 2-3

BRAHMINY MYNA : quite common

PIED MYNA: quite common

COMMON MYNA : abundant

HOUSE SPARROW: common

STREAKED WEAVER: 30

BIRDS SEEN IN KATHMANDU VALLEY 20.4 AND 9.5.1986

The birds reported here were almost exclusively seen on Phulchowki and Godaveri Botanical Gardens.

CATTLE EGRET: quite common

CRESTED SERPENT EAGLE: 1

INDIAN RING DOVE: common

WEDGE-TAILED GREEN PIGEON: 1

COMMON HAWK CUCKOO : several heard

HIMALAYAN CUCKOO : several heard

HOUSE SWIFT : common

WHITE-BREASTED KINGFISHER: 1

GREAT HIM. BARBET: 5

GOLDEN-THROATED BARBET: 6

BLUE-THROATED BARBET: 1

BLACK-NAPED WOODPECKER: 1

BARN SWALLOW: q. common

GREY WAGTAIL: 2

SCARLET MINIVET: 4

ORANGE-BELLIED LEAFBIRD: 4

MAGPIE-ROBIN: q. common

PLUMBEOUS REDSTART: 2

WHISTLING THRUSH: 1

GREY-WINGED BLACKBIRD: 10

SPOTTED FORKTAIL: 1

GREY-HEADED WARBLER: 10

PHYLLOSCOPUS REGULOIDES: quite

common

PH. INORNATUS: common

PH. COLLYBITA: 2

LARGE NILTAVA: 1

BEAUTIFUL NILTAVA: 1

VERDITER FLYCATCHER: 2

BROWN FLYCATCHER: 1

GREY-HEADED FLYCATCHER : 1

RUSTY-CHEEKED SCIMITAR BABBLER

: 1

WHITE-THROATED LAUGHING-THRUSH

20

STRIATED LAUGHING-THRUSH: 2

RED-WINGED SHRIKE BABBLER: 1

BLACK-CAPPED SIBIA: common

RED-HEADED TIT: q. common

YELLOW-BROWED TIT: 1

YELLOW-CHEEKED TIT: 4

WHITE-TAILED NUTHATCH: 1

WHITE-EYE : 5

MAROON ORTOLE: 10

BLACK DRONGO: common

SMALL RACQUET-TAILED DRONGO: 4

EURASIAN JAY: 2

RED-BILLED BLUE MAGPIE : 2

HOUSE CROW

BANK MYNA: q. common

JUNGLE MYNA : q. common

BIRDS SEEN IN CHITWAN NAT. PARK 6.5. 8.5.1986

CHESTNUT/YELLOW BITTERN: 1 INDIAN RIVER TERN: 2 NIGHT HERON: 6-7 BLACK-BELLIED TERN: 2 LITTLE GREEN HERON: 3 RED-TURTLE DOVE : 2 POND HERON: common SPOTTED DOVE : common CATTLE EGRET: 50-100 ORANGE-BREASTED GREEN PIGEON: 7 LITTLE EGRET : common ROSE-RINGED PARAKEET : common INTERMEDIATE EGRET: 1 BLOSSOM-HEADED PARAKEET: 25 LARGE EGRET: 10-20 ROSE-BREASTED PARAKEET: 3 PURPLE HERON: 2 COMMON HAWK CUCKOO: q. common OPEN-BILL STORK: 9 INDIAN CUCKOO: q. common WHITE-NECKED STORK: 2 DRONGO CUCKOO: g.common LESSER ADJUTANT: 1 LARGE GREEN-BILLED MALKOHA: 3 BLACK IBIS: 2 LARGE COUCAL: 5-10 LESSER WHISTLING TEAL: 130 SMALL COUCAL: 5-10 BLACK-CRESTED BAZA: 2 BROWN HAWK OWL : 1 HONEY KITE: 2 LONG-TAILED NIGHTJAR: 1 heard WHITE-BACKED VULTURE: 50 WHITE-THROATED/WHITE-VENTED INDIAN GRIFFON: 3 NEEDLETAIL: 10 WHITE-EYED HAWK: 1 CRESTED SWIFT: 8 OSPREY: 1 WHITE-BREASTED KINGFISHER: 5 BLACK PARTRIDGE: 2 SMALL PIED KINGFISHER: 10 RED JUNGLE FOWL : quite common GREEN BEE-EATER: 2 KALIJ PHEASANT : 2 + pull BLUE-TAILED BEE-EATER: 1 COMMON PEAFOWL: 4 CHESTNUT-HEADED BEE-EATER: 10 WHITE-BREASTED WATERHEN: 2-3 INDIAN ROLLER: 10 INDIAN GALLINULE: 40 DARK ROLLER: 20 PURPLE GALLINULE: 3 PIED HORNBILL: 1 BRONZE-WINGED JACANA: 6 GIANT HORNBILL: 1 LITTLE RING PLOVER: 3 LINEATED BARBET: heard LESSER GOLDEN PLOVER (?): 10 SMALL YELLOW-NAPED WOODPECKER: RIVER LAPWING (SPUR-WINGED): 1 BLACK-NAPED WOODPECKER: 2 RED-WATTLED LAPWING: 15

TEMMINCK'S STINT: 4 GREENSHANK: 1 COMMON SANDPIPER: 6

SMALL PRATINCOLE: 20

THREE-TOED GOLDENBACKED WOOD-PECKER: 6

FULVOUS-BREASTED PIED WOOD-

PECKER: 3

GREY-CROWNED PYGMY WOODPECKER:

quite common

INDIAN PITTA: 5 BUSH LARK: 1 SAND LARK: 10 SAND MARTIN: abundant BARN SWALLOW: 15 YELLOW-HEADED WAGTAIL: 4 LARGE PIED WAGTAIL: 10 LARGE PIED WOOD-SHRIKE: 4 PIED WOOD-SHRIKE: 4 DARK CUCKOO-SHRIKE: 4 LARGE CUCKOO-SHRIKE: 2 SCARLET MINIVET: 10 SMALL MINIVET: 2 ROSY MINIVET: 6 BLACK-HEADED YELLOW BULBUL: 2 RED-WHISKERED BULBUL: quite common WHITE-CHEEKED BULBUL: 6 RED-VENTED BULBUL : common GREY BULBUL: 3 IORA: 4 GOLDEN-FRONTED LEAF-BIRD: 2 MAGPIE ROBIN: quite common SHAMA: 5 WHITE-TAILED BUSH CHAT: 3 PIED BUSH CHAT: common ORANGE-HEADED GROUND THRUSH: 8 BLANFORD'S BUSH WARBLER: 3 ZITTING CISTICOLA: 1 PLAIN PRINIA: 1 HODGSON'S PRINIA: 1 YELLOW-BELLIED PRINIA : 5 GREY-CAPPED PRINIA: 2 TAILORBIRD : common PHYLLOSCOPUS TROCHILOIDES: 2 PH. MAGNIROSTRIS: 2 BROOK'S FLYCATCHER: 2

WHITE-THROATED FANTAIL FLY-

CATCHER: 10

PARADISE FLYCATCHER: 25 BLACK-NAPED FLYCATCHER: 8 SPOTTED BABBLER: 2 BLACK-CHINNED BABBLER: 2 YELLOW-BREASTED BABBLER : common RED-CAPPED BABBLER: 4 STRIATED BABBLER: 5 JUNGLE BABBLER: 3 LARGE NECKLACED LAUGHING THRUSH: 3 RUFOUS-NECKED LAUGHING THRUSH WHITE-BELLIED YUHINA: 1 GREY TIT: quite common VELVET-FRONTED NUTHATCH : 1 CHESTNUT-BELLIED NUTHATCH: 3 PURPLE SUNBIRD: 4 WHITE-EYE: quite common BLACK-HEADED ORIOLE: q.common GOLDEN ORIOLE: 3 BLACK DRONGO: common ASHY DRONGO: 4 CROWBILLED DRONGO (?): 1 LITTLE BRONZED DRONGO : q.comm HAIRCRESTED DRONGO: 5 ASHY WOOD-SWALLOW: 10 INDIAN TREE PIE: 4 JUNGLE CROW: common GREY-HEADED MYNA: 16 COMMON MYNA : common BANK MYNA: quite common JUNGLE MYNA : common BAYA WEAVER: 2 SPOTTED MUNIA: 7

MAMMALS

NEW DELHI :

FIVESTRIPED PALM SQUIRREL: quite common

KATHMANDU VALLEY:

HIMALAYAN WEASEL: 1

CHITWAN NATIONAL PARK:

RHESUS MACAQUE: 4

COMMON LANGUR: 10

LEOPARD: 1

JACKAL: 1

GREAT INDIAN ONEHORNED RHINOCEROS: 4

HOG DEER: 4

SPOTTED DEER: 8

INDIAN WILD BOAR : 5