From. India + Nepal Dec. 1989 - June 1990 Ses Buchton + Pete Morn



SYSTEMATIC LIST OF SPECIES SEEN IN INDIA AND NEPAL

Site abbreviations

Del = Delhi area Bp = Bharatpur Ra = Ranthambor

Jod = Jodhpur Js = Jaisalmer

Ag = Agra Co = Corbett NT = Naini Tal

KV = Kathmandu Valley

KB = Kosi Barrage KT = Kosi Tappu Het = Hetauda Cw = Chitwan Po = Pokhara

Jo = Jomosom Trek

Da = Dharan HT = Hanga Tham

Sun = Sunischare Trek Dg = Darjeeling area Sa = Sandakphu Trek

La = Lava

Suk = Sukna forest Lg = Langtang Trek = Gosainkund Trek

Little Grebe Great Crested Grebe Great Cormorant Indian Shag Little Cormorant Oriental Darter Great White Pelican

Dalmatian Pelican

Spot-billed Pelican

Yellow Bittern Cinnamon Bittern Black-crowned Night Heron Green Heron Indian Pond Heron Cattle Egret Little Egret Intermediate Egret Great White Egret Grey Heron Purple Heron Painted Stork

Asian Openbill Stork Black Stork

Del Bp Ra Jod Js Ag KT etc. KB Po Del Bp Ra Cw Po KB Del :- 1 in Jan and 20+ in Feb. Del Bp Ra KB KT etc. Del Bp Ra KB KT Cw Del :- at least 1 free flying individual with the captive birds at the Zoo in June was probably wild. Ra :- 1 flew onto the lake and fed there for the day but was not present the following day. KB KT :- seen almost daily in April (2nd -57h) though never more than 3 at one time.

EUCKTONS, AND MORRIS, P. (1990)

& NOTES IN BIRDS RECORDED IN NEPAL

KT :- 1 individual only. St. April KT Het Cw Del Bp KV KT Cw Co Het Cw

Del Bp Ra Jod Js KB KT Cw etc. Del Bp Ra Jod KV KB KT etc. Del Bp Ra Jod KB KT etc.

Del Bp Ra Ag KB KT Cw Del Bp Ra Js Ag KB KT Cw

Del Bp Ra KB Cw Bp Ra KB KT Cw

Del Bp Ra :- a wild colony is present in

Delhi Zoo. Jod KB KT Cw Ra Co KB Cw

Woolly-necked Stork Black-necked Stork

Greater Adjutant

Lesser Adjutant
Glossy Ibis
Red-naped Ibis
Oriental White Ibis
Eurasian Spoonbill
Greater Flamingo
Lesser Whistling Duck
Greylag Goose
Bar-headed Goose
Ruddy Shelduck
Comb Duck

Cotton Pigmy Goose Wigeon Falcated Duck

Gadwall Teal Mallard Spotbill Pintail

Garganey
Shoveler
Red-crested Pochard
Pochard
Ferruginous Duck
Tufted Duck
Goosander
Black Baza
Crested Honey Buzzard
Black-shouldered Kite
Black Kite
Brahminy Kite
Pallas' Fish Kagle

White-tailed Ragle

Lesser Fishing Kagle
Grey-headed Fishing Kagle
Egyptian Vulture
Lammergeier
Oriental White-backed Vulture
Long-billed Vulture

Himalayan Griffon Vulture Kurasian Griffon Vulture Red-headed Vulture Kurasian Black Vulture Short-toed Kagle

Bp KB KT Het Cw Sun Bp KB KT :- this decreasing species was present in small numbers at each site. KB :- 1 adult in April was watched (4th) feeding for a few minutes before being flushed by locals. KB KT Cw Bp :- 1 bird only. Ra KB KT Het Cw Del Bp Jod KB KT Bp Ra KB Bp :- 1 only. Bp KB KT Cw :- c3000 at KB in Feb. Del Bp Ra Bp Ra KT Sun Del Bp Ra KB KT Cw Del Bp KB KT :- scarce, with less than 5 at each site. Those at Delhi Zoo were free flying and had vanished by June along with most of the other ducks, so are probably wild birds exploiting an easy food source. Bp Ra Cw Del Bp KB KB :- about 7 present amongst an estimated 50,000 ducks in Feb, still 1 present in April. Del Bp Ra KB Del Bp Ra Js KB Cw Bp KB Del Bp KB KT Del Bp Ra Js Ag KB KT :- c20,000 at KB in Feb. Bp KB KT Cw Del Bp Ra Js KB KT Bp KB Cw Del KB Bp KB :- up to 40 at KB in Feb. Del Bp KB Co Het Cw Da Sun Suk :- quite common at each site. Bp Jod Cw Da Sun Del Bp Ra Jod Js KB Cw etc. Del Bp Jod Js Ag KV KB etc. Del Da Sa Bp Co :- including an adult by a nest at KB: - 3+ inc. 2 ads in Feb, 1 imm in April. Co Cw :- several at Co, 1 at Cw in Dec. Cw :- 1 ad in Feb. Del Bp Ra Jod Js Ag KV Jo etc. NT Jo Lg G Del Bp Ra Jod Js Ag KV KB Cw etc. Ra Jod Js :- much less common than above species. NT Jo Lg Jo G Bp Ra Js Ag Jo Js Co Jo Bp :- 1 only.

Crested Serpent Ragle
Marsh Harrier
Hen Harrier
Pallid Harrier
Pied Harrier
Northern Goshawk
Northern Sparrowhawk
Crested Goshawk
Shikra
White-eyed Buzzard
Buzzard

Long-legged Buzzard Black Kagle Lesser Spotted Kagle

Greater Spotted Ragle Steppe Ragle

Tawny Kagle Imperial Kagle

Golden Kagle
Booted Kagle
Bonelli's Kagle
Changeable Hawk Kagle
Mountain Hawk Kagle

Osprey Red-thighed Falconet

Kestrel Red-necked Falcon

Hobby Laggar

Peregrine Snow Partridge

Tibetan Snowcock

Himalayan Snowcock

Chukar Black Francolin

Grey Francolin
Swamp Francolin

Bp Ra Jo HT Sun Suk Bp Co KB KT Jo Bp Js KB Cw Jo Bp Jo HT Lg Cw Da Sun Del Ra Cw HT Sun Co KT Cw Js Ag Jo Sa G :- some of the birds at high altitude could possibly have been Upland Buzzard but identification is not easy. Js KB NT KV Jo HT La Bp Co KT :- 1-2 at each site. Identification of some Aquilas was not always possible. Bp KB :- 2 juvs at Bp, 1 at KB. Del Bp Co KB Jo HT :- the commonest Js :- not uncommon in the desert areas. Bp Js :- 1 juv and 1 ad at Bp, 1 ad at Jaisalmer. Jo :- 3-4 ads around Marpha. KV Jo Jo Lg Co Cw KV Jo G :- 1 at Ghorepani (Jo), 2 at Phulchowki (KV) on 31/3, 1 below Gopte (G). Bp Ra KB KT Cw Co Het Da Sun :- not uncommon in low altitude forest. Bp Ra Js Jo Lg KB KT :- 1 male seen well in Feb at KB; 1 at KT in April. Co Sa Suk Js :- seemed to be nesting near to the Bustard Enclosure at Sudaseri; also 1 seen from a lorry near KB! Co KB Jo Lg Lg G :- quite common and vocal around Kyanjin (Lg) and the Laurebina Pass (G). Lg :- 2 seen at Kyanjin. Call was a repeated "chuck" becoming louder and ending in a "chuckoo-chuckoo". Jo :- above Muktinath we went up to the ridge to the north of the tea huts where 13th March suprisingly all those we identified were this species. Calls included a distinctive Curlew-like whistle. Jo :- common above Jomosom. Co KT Cw Lg :- fairly common in grassland areas, several calling from trees at Cw in May! Del Bp Ra Jod Js Ag KT :- fairly common along the raised 4th-tth April embankment, c15 birds seen and/or heard.

1 1

Common Quail

Jungle Bush Quail

Painted Spurfowl

Common Hill Partridge

Blood Pheasant

Satyr Tragopan

Koklass Pheasant

Himalayan Monal

Red Junglefowl Kalij Pheasant

Cheer Pheasant

Blue Peafowl Barred Buttonquail

Ruddy-breasted Crake
Brown Crake
White-breasted Waterhen
Moorhen
Purple Gallinule
Coot
Common Crane
Sarus Crane

Siberian White Crane

KB: - 2 birds flushed in early April appeared to be this species.

Ra: - 3 flocks, totalling over 50 birds. Quite easy to see on the deck. The dry river beds seem to be a good area.

Ra: - fairly common: 12+ seen, the favoured area being around the entrance road.

KV Jo Sa Lg G: - common, frequently heard but less often seen. Call is a mellow interogative whistle. Can be whistled out.

Sa Lg G:- these excellent birds were easy to find around Kyanjin (Lg) and Gopte (G). Usually in groups of 2 or more, and can be fairly tame.

Dg Sa G: - quite an elusive species. 1 male was seen near Tiger Hill (Dg), 1 near Tonglu (Sa) and a few brief views above Syabru (G). Frequently heard at Syabru, a wierd "uwaaaa" reminiscent of a child moaning, but very shy and difficult to see well.

Jo :- excellent views of a male in the main wood at Ghasa and 1 pair flushed in bamboo forest (see map).

Jo Lg G: - 1 male flushed from the "Black Wood" at Ghasa, a few around Kyanjin (Lg) and common in the Gopte area (G). Often perches in open areas and calls from cliffs.

Co Cw Da Sun Suk

Co KV Jo Sa La Lg :- the commonest true Pheasant in the region and therefore the easiest to see.

Jo: - 1-2 males seen on 2 days in the grassy and bamboo plateau on the east side of the river at Ghasa. Several birds heard calling just before dawn and after dusk on both sides of the river but usually seen when flushed from close range. Call is an irregular series of "chuck"s with an occassional high pitched "sweeoo".

Del Bp Ra Jod Ag Cw Sun Suk Bp Cw :- also sev Buttonquail sp. flushed.

KT Cw

Ra Cw

Del Ra Bp Cw Del Bp KT Cw etc.

Bp KB KT

Bp

Bp :- max. of 35.

Bp :- total of c8. Also frequently seen from trains.

Bp:- this species is unfortunately continuing to decline - we saw a maximum of 10, only 1 juv.; the winters total was just 17.

Demoiselle Crane

Great Indian Bustard

. Houbara Bustard

Bengal Florican

Pheasant-tailed Jacana

Bronze-winged Jacana Painted Snipe Thisbill

Black-winged Stilt Avocet

Stone Curlew Great Thick-knee

Indian Courser

Cream-coloured Courser Little Pratincole Little Ringed Plover Long-billed Plover

Kentish Plover Lesser Sand Plover Grey Plover River Lapwing Yellow-wattled Lapwing

Grey-headed Lapwing

Red-wattled Lapwing Northern Lapwing White-tailed Plover Sociable Plover

Little Stint Temminck's Stint Dunlin Ruff Common Snipe Pintail Snipe Solitary Snipe

Wood Snipe

10th March) Jo :- 1 in fields at Kagbeni had been present for some time, and had been with a second individual earlier in the winter.

Js :- c12 in the Bustard Enclosure at Sudaseri, c13km south of Sam village. Js :- 4 present in the same area as the above.

Cw :- this declining species was not located at Kosi, and we only saw 1, a male, c7km east of Sauraha (Cw).(11th Mas) Bp KB KT Po :- quite common at Kosi in April. 2 at Pokhara in Dec was an unseasonal sighting.

Bp Ra KB KT Cw

Bp KT Cw

Het Lg :- 12 present near the footbridge c5km downstream of the usual site at Het; also 8+ at Kyanjin (Lg) in May.

Del Bp Ra Jod Js Ag
Del KB KT :- several small groups at KB

and KT .- 25 on 6/4

Del KB Da

Co :- 4 seen c1km east of Dhikala, where the river widens out, and 2 on the river just north of Ramnagar.

Bp :- 8 in a dry field c1km past "Python Point" were the only ones seen.

Js :- several seen. KB Cw :- common at KB.

Ra Js KB Het Cw

Het :- 3 seen c500m from the roadbridge in Dec. (15th)

6 8

Js KV KB

KB: -1 ad in April. (2/4)KB: -1 in Feb, a vagrant to Nepal. (20/2)

Del Ag KB Cw Sun Suk

Del Ra Het :- 2 at Tuglakhabad (Del), and 2 in the semi-desert at Ra. 1 amongst Red-wattleds at Het in Dec was an unusual record.

Bp KV :- 1 at Bp was unusual, and up to 13 along the river by the University in Kathmandu.

Del Bp Ra Jod Js Ag KB KT Cw etc.

Bp KB Cw

Bp :- common, up to 50 daily.

Bp :- 15+ in the same field as the Indian Coursers was a good record.

Del KB

Del Bp Js Ag KB Cw

KB :- 1 only in April.

Bp Ra Ag

Bp KV KB Cw Po

KV KB KT Po

Jo :- 2-4 in the stream and marshy pool at Muktinath and one by a stream at Chitre, both in Mar.

G :- 2 birds found displaying just below the Laurebina Pass at c4200m were

Woodcock
Black-tailed Godwit
Curlew
Spotted Redshank
Redshank
Marsh Sandpiper
Greenshank
Green Sandpiper
Wood Sandpiper
Common Sandpiper
Great Black-headed Gull
Black-headed Gull
Brown-headed Gull

Herring Gull
Gull-billed Tern
Caspian Tern
Indian River Tern

Black-bellied Tern Little Tern Whiskered Tern Painted Sandgrouse

Chestnut-bellied Sandgrouse Black-bellied Sandgrouse Spotted Sandgrouse Rock Dove Hill Pigeon

Snow Pigeon

Speckled Woodpigeon

Collared Dove
Red Turtle Dove
Oriental Turtle Dove
Palm Dove
Spotted Dove
Barred Cuckoo Dove

Emerald Dove Orange-breasted Green Pigeon

Thick-billed Green Pigeon

Yellow-footed Green Pigeon Pin-tailed Green Pigeon Wedge-tailed Green Pigeon

Alexandrine Parakeet Slaty-headed Parakeet

Plum-headed Parakeet

photographed and proved to be this species. There are few recent records of this threatened species. (See OBC Bulletin 1) Bp Ra KB KB :- up to 200 in Feb. Bp Ra Js Ag KB Cw Bp Bp Ra Ag Bp Ra Jod Js Ag KB Cw Bp Ra Jod Js Ag KB Cw Jo Del Bp Ra Js Ag Cw Del Bp Ra Jod Js Ag KB Cw etc. Ag KB KT Cw :- up to 10 at each site. Del Ag KB Del KB :- max. 20+ on the River Yamuna (Del) in Feb. Del Bp Ag KB Del Ra KB KB :- up to 5 in Feb. Bp Ra Ag KB KT :- few at each site, often in the same area as the next species. Bp Ag KB KT KB :- only present in April. Del Bp Ra KB Ra Jod :- common and confiding in the semi-desert at Ra. Also 4 in the semidesert behind Mandore Gdns (Jod). Bp Jod Js :- common at Js. Js :- 4 south of Sam. Js :- 2 south of Sam. Del Bp Ra Jod Js Ag Jo Lg etc. Jo :- especially common around Muktinath. Jo Lg :- a few at Muktinath (Jo), common around Kyanjin (Lg). Jo :- 1 only between Chitre and Ghorepani. Other Woodpigeons at various sites were not specifically identified. Del Bp Ra Jod Js etc. Bp KT Cw Ra NT KV KB Jo Da Sa Lg G Del Bp Ra Jod Js Ag etc. Del Ra KB KT Cw Sun etc. Sun La Suk :- 1 nr Chisapani (Sun) but common at the other sites. Cw Suk :- common at Cw. KT Cw :- common around Tiger Tops and Sauraha (Cw). Cw :- 1 male in riverine forest at Sauraha. 9/5 Bp Ra Cw :- common at Bp and Ra. Sun :- 2 in forest near Sukhani. Sun Lg :- 3+ nr Sukhani (Sun), common below Syabru (Lg). Co Het Cw Suk Co Po Jo :- common at Co and low down on the Jomosom Trek. Ra Co Cw etc. :- this species is now split from the south-east Asian Blossom-headed.

Ring-necked Parakeet Red-breasted Parakeet Red-winged Crested Cuckoo Common Hawk Cuckoo

Large Hawk Cuckoo Grey-bellied Plaintive Cuckoo

Banded Bay Cuckoo

Indian Cuckoo
Common Cuckoo
Oriental Cuckoo
Lesser Cuckoo
Drongo Cuckoo
Common Koel
Green-billed Malkoha
Sirkeer Malkoha

Greater Coucal Lesser Coucal Collared Scops Owl

Indian Scops Owl

[Mountain Scops Owl] Northern Kagle Owl

Dusky Kagle Owl

Brown Fish Owl

Collared Owlet

Jungle Owlet

Asian Barred Owlet [Brown Hawk Owl]

Del Bp Ra Jod Js Ag Cw Cw Sun Suk Cw :- a few around Tiger Tops in May. Ag Sun La :- this and the next species are heard far more often than seen, but often respond to a tape. KV Jo HT Sa La Lg G KT Cw :- best located by song. Suprisingly similar to Black-winged Cuckoo-Shrike in appearance. Da Cw :- not uncommon, once call is known. Da HT La Cw Cw Jo Da HT La KV HT Sa La Lg G La Lg G Da HT Sun Cw :- common at Cw in May. Jod KB KT Cw Cw Sun Co Cw :- one just outside the park entrance at Dhangeri (Co); 1 nr Bhimle, near Sauraha (Cw). Bp Del Ra Ag KB KT Cw CW KT HT :- 1 spotlighted below Jamuna and another heard near Ilam (HT); also 1 heard at Teesta nr Kalimpong (Dg). Best identified by call; a "hoo-oo", the second note slightly lower and virtually merging with the first. Bp :- recently split from the above species (renamed Otus lempiji), which extends into SE Asia. Those south and west of the Himalaya have a different call, an interrogative "wuuk" repeated at c5 second intervals as opposed to every 20 secs by the above species. Plumage is similar. At Bp 2 birds frequented a daytime roost near the small temple as they have done for the last 10+ years. Another dead bird was seen which had been killed by locals. Jo La Lg G :- only heard. Del :- 1 seen during the day at Tuglakhabad. Bp :- 1 seen roosting and another at dusk, when the birds seemed quite vocal. 2 large Owls flushed during the day were also probably this species; fairly shy. Co KV :- 1 found roosting at Gokarna (KV) in Dec; 2 roosting at Khinanauli (Co) on 2 consecutive days at least. Jo Sa La :- often heard, but only seen near Tatopani (Jo). Imitating the 4-note whistle of this species is an excellent way of attracting inquisitive passerines. Cw :- common around Sauraha, and heard at Tiger Tops. KV Po Jo Da HT Sa Da Sun Suk :- heard only.

Spotted Little Owl Brown Wood Owl

Short-eared Owl [Jungle Nightjar]

Large-tailed Nightjar Indian Nightjar Savanna Nightjar

Himalayan Swiftlet White-throated Needletail

White-vented Needletail White-rumped Spinetail

Alpine Swift Pacific Swift

House Swift
Asian Palm Swift

Crested Tree Swift Crested Kingfisher

Lesser Pied Kingfisher
Common Kingfisher
Stork-billed Kingfisher
Smyrna Kingfisher
Chestnut-headed Bee-eater
Blue-tailed Bee-eater
Little Green Bee-eater
Blue-bearded Bee-eater

Indian Roller
Dollarbird
Hoopoe
Indian Grey Hornbill

Oriental Pied Hornbill
Great Pied Hornbill
Great Barbet
Brown-headed Barbet

Lineated Barbet
Golden-throated Barbet
Blue-throated Barbet
Blue-eared Barbet
Coppersmith Barbet
Orange-rumped Honeyguide

Wryneck Speckled Piculet Rufous Woodpecker Lesser Yellownape Bp Ra KB KT

Cw :- 2 ads with a recently fledged juv at Sauraha in May. 10/5 11/5

KB Dg

Jo Lg :- heard only, at Chitre (Jo) and Syabru (Lg).

Da Sun Cw

Bp :- 2 roosting near the Nursery. Cw :- 1 seen and sev heard around Megauli.

Co Sa Lg G

Da Dg :- also many unidentified Needletails, either this species or the next.

Cw Da

Co :- a few low above the road c3km from the park gate in light rain.

Co Cw Da

Po Jo Lg G: - 2 seen at Pokhara in December is an unusual record. Del Bp Ra Jod Js Ag KV Da Sun etc. Sun Suk: - also seen at Dhaka Int.

Airport (Bangladesh).

Co Cw Da

Co Jo Sun :- around Birethante (Jo), nr Ilam (Sun) and on all rivers at Co inc. at Ramnagar.

Bp Ra Ag KB KT Cw etc.

Bp Ra KB Cw

Co KT Cw :- common at KT.

Del Bp Ra Jod Js Ag KB KT Cw Sun etc.

Cw Jo Sun KB KT Cw

Del Bp Ra Jod Js Ag KB KT Cw etc. Da Suk :- this forest species is best located by its deep growling call.

Del Bp Ra Ag KB Cw Suk etc.

Cw Sun Da :- common summer visitor.

Del Bp Ra Jod Js Ag Cw etc.

Bp Ag :- also seen from a lorry between Hetauda and Kosi Barrage!

Cw Sun Suk

Cw :- 1 near Tiger Tops in May.

NT KV Po Jo HT La

Del Ag Co :- quite common at Agra and Corbett.

Co Cw Da Suk

KV Jo La Lg

KV KB Po Jo Da

Da :- fairly common at this site.

Bp Ra Jod Ag KT Cw

Lg: 3 individuals around massive bees nests on cliffs in the Langtang Gorge, 1 5 mins past and 2 15 mins past "Landslide Lodge". None at Ghasa, as no active bee's nests were found.

Bp Jod KT

Jo :- 1 individual nr Ulleri.

Cw Da

Co Cw Da Suk

Greater Yellownape
Grey-headed Woodpecker
Streak-throated Green Woodpecker
Scaly-bellied Green Woodpecker
Himalayan Goldenback
Lesser Goldenback
Greater Goldenback
White-naped Woodpecker

Bay Woodpecker Himalayan Pied Woodpecker Darjeeling Pied Woodpecker Crimson-breasted Pied Woodpecker

Rufous-bellied Pied Woodpecker Yellow-crowned Pied Woodpecker

Brown-fronted Pied Woodpecker Fulvous-breasted Pied Woodpecker Grey-capped Pigmy Woodpecker Brown-capped Pigmy Woodpecker Long-tailed Broadbill

Indian Pitta

Rufous-winged Bushlark Red-winged Bushlark Ashy-crowned Finch Lark Black-crowned Finch Lark

Desert Lark
Rufous-tailed Desert Lark
Short-toed Lark
Hume's Short-toed Lark

Sandlark
Crested Lark
Oriental Skylark
Bimaculated Lark
Brown-throated Sand Martin
Crag Martin
Dusky Crag Martin
Barn Swallow
Wire-tailed Swallow
Red-rumped Swallow
Nepal House Martin

Asian House Martin Richard's Pipit Paddyfield Pipit

Blyth's Pipit

KV Sun Suk Co KV Het Cw G

Co Cw :- several seen at Co.

NT Jo Lg G

Co Cw

Bp Ra Jod Cw

Cw Sun Suk

Ra: - 1-2 pairs from the entrance road by the dry streams.

La :- also probably heard at HT and Cw.

NT :- 2 pairs above Naini Tal town.

KV Jo Sa La Lg G

Jo HT Sa Lg :- generally less obtrusive than the preceding species.

KV Jo Lg G

Bp Jod :- common in open dry woodland at these sites.

NT KV Jo

Co Cw Da

Co Cw Da etc.

Bp Ra

Sun :- sev. in first area of forest south of Ilam.

Cw :- common around Tiger Tops and Sauraha in early May. Quite arboreal, easily located by their call, a loud "wee-chew", very different from that of Blue-winged Pitta.

Del KB Cw

Bp

Bp Ra Jod KB KT Cw

Js :- fairly common around the fossil park and DNP.

Js

Bp Ra :- fairly common at both sites.

Bp Js KB

KB Sa: - small flocks seen at KB in April, 1 seen around the buildings at Sandakphu (Sa).

Del KB Cw

Bp

Del Bp KB Het

Js :- common south of Sam. Del Bp Js Ag KB KT Cw etc.

NT Jo

Del Ra Jod Js

Common and widespread.

Bp :- 3+ seen on 2 dates only.

Common and widespread.

Jo Lg G: - the most obvious feature was the short, rounded tail, while the black throat is not as obvious as illustrated in the Pictorial Guide.

Jo Suk Lg G

KB Po :- birds resembling A. n. richardi. Del Bp KB KT Cw Po etc. :- often considered conspecific with Richard's Pipit, this smaller form is widespread and common.

KB :- several individuals showing the

Upland Pipit

Tawny Pipit
Long-billed Pipit
Olive-backed Pipit
Tree Pipit
Rosy Pipit
Yellow Wagtail

Citrine Wagtail
Grey Wagtail
White Wagtail
Large Pied Wagtail
Common Woodshrike
Large Woodshrike
Bar-winged Flycatcher-Shrike
Black-headed Cuckoo-Shrike

Black-winged Cuckoo-Shrike
Large Cuckoo-Shrike
Scarlet Minivet
Short-billed Minivet
Long-tailed Minivet
Grey-chinned Minivet

Small Minivet
Striated Bulbul
Black-crested Bulbul
Red-whiskered Bulbul
White-cheeked Bulbul
Red-vented Bulbul
White-throated Bulbul

Mountain Bulbul
Ashy Bulbul
Black Bulbul
Common Iora
Marshall's Iora
Golden-fronted Leafbird
Orange-bellied Leafbird
Asian Fairy Bluebird

Brown Dipper Wren Maroon-backed Accentor

Rufous-breasted Accentor Brown Accentor Black-throated Accentor

Robin Accentor Altai Accentor

current known features of this species were present in early April. Jo HT Lg G :- common in some areas. though can be elusive. Best located by strange song, "see-tee see-tee see-tee.." etc. and most easily seen when songflighting or taped out. Prefers grassy slopes with some boulders. Jod Js Co Cw Del Bp Cw Jo Sa Lg etc. Js KV Po Jo Sa Lg G Del Bp Ra Ag KB KT Cw :- sev. subspecies seen including sev. M. f. leucocephala at KB in April. Del Bp Ra Jod Ag KB KT Cw Bp Ra Jo Sa Lg etc. Del Bp Ra Jod Js Ag KB KT Cw Lg G etc. Del Bp Ra Ag KB Cw Sun etc. Bp Ra Cw Da Sun Da Cw Co Cw Da Cw :- a pair in sal forest near Megauli in Dec. (1241) KV Cw Jo HT Lg G Co Cw Da Sun etc. Co Cw Da Sun Jo HT La Co KV Jo HT Sa Lg G KV :- seen on 2 ocassions on the lower slopes of Phulchowki. Bp Ra Ag Cw Da KV Jo La Co Da Sun Del Cw Sun Suk Bp Ra Jod Js KV Po Jo Sa Lg etc. Del Bp Ra Jod Js Ag KB Cw etc. Sun :- sev. seen in forest area nr Sukhani. KV Jo Co Po Jo Sun etc. Co NT KV Po Jo HT Sa La Lg G etc. Ra Cw Da Sun Bp :- 2+ birds seen on 1 day only. Co KV Cw Sun KV Jo Sun :- 1 male in forest area near Sukhani. Jo Lg G Jo Lg G Jo HT Dg :- c10 at Ghasa (Jo) in Dec; 5+ at forest edge at HT in April; 1 at Tiger Hill (Dg) also April. NT KV Jo Dg Sa Lg Jo :- common beyond Marpha. NT :- 10+ seen in terraced fields above Naini Tal town. Jo :- sev. seen around Kagbeni-Muktinath.

NT Jo :- quite common around Ghorepani

Alpine Accentor

Gould's Shortwing

White-browed Shortwing

Siberian Rubythroat

Bluethroat White-tailed Rubythroat Indian Blue Robin

Red-flanked Bluetail Golden Bush-Robin

White-browed Bush-Robin

Rufous-breasted Bush-Robin

Asian Magpie Robin
White-rumped Shama
Blue-capped Redstart
Black Redstart
Hodgson's Redstart
Blue-fronted Redstart
White-throated Redstart

Guldenstadt's Redstart

Plumbeous Redstart White-bellied Redstart

White-tailed Robin

MBlue-fronted Robin

Grandala

Stonechat
White-tailed Stonechat

Hodgson's Bushchat

Pied Bushchat Grey Bushchat Stoliczka's Whinchat

and beyond (Jo). Sev flocks at NT. Jo Lg G :- very common and tame around the Gosainkund Lakes and Laurebina Pass (G). Also 2 at Ghorepani (Jo) in Mar. HT G :- 1 in damp ravine at HT, 1 on rocky scrubby slope above Gopte (G). HT Dg Sa La :- common in bamboo at Tiger Hill (Dg). Bp KT Het Po :- sev. singing males at KT in April. Del Bp Ag KB KT Cw Cw :- 8+ in Feb nr Megauli. La Lg G :- common on Lg/G, but more often heard than seen. NT KV Jo Sa Lg G NT KV Jo HT Dg Sa La Lg :- only females/1st w birds seen until April. from when males were often seen. Jo Sa G :- frequents bamboo, where it can be located by its song, an echoing "whittitee whittitee". Jo G :- 1 male at Ghorepani (Jo) in Dec; sev. seen around Gopte in May (G). Del Bp Ra Jod Js KV Cw Sun etc. Cw Da Sun Suk NT Jo Del Bp Ra KB KT KV Po Jo Sa NT Jo HT Sa Lg G Jo :- quite common at Ghorepani and Jo :- quite common beyond Kalopani right up to Muktinath. Co KV Het Po Jo Lg G Lg G :- sev. seen near Langtang village, also seen around Kyanjin (Lg). 2 males & 1 female at Sing Gompa (G). Skulking and terrestrial, usually in dense thorny scrub. HT Sa La Lg G :- shy, best located by its distinctive song. La :- 1 singing male. Easily located by its distinctive song, but very difficult to observe as it skulked in dense vegetation. Jo G :- flocks of 47 & 51 between Ghasa and Lete, and 4+ above Muktinath, all in Mar (Jo); common around Gosainkund and over the Laurebina Pass in May (G). Bp KV KB Cw Jo Lg etc. KB Cw :- common in grassland around Megauli (Cw); 1 pair at KB. KB: - 3 males seen on 2 consecutive days in early April on tamarisk "island" south of the Barrage. None seen in Feb. Bp Ra KV KB KT Het Cw etc. Co NT KV Jo HT La Lg etc. Js :- 1 winter plumage male 3.5kms south of Sam was the only sighting of this threatened species.

Isabelline Wheatear Desert Wheatear Kastern Pied Wheatear

Red-tailed Wheatear

River Chat
Indian Robin
Blue-capped Rock Thrush
Chestnut-bellied Rock Thrush
Blue Rock Thrush
Blue Whistling Thrush
Plain-backed Mountain Thrush
Long-tailed Mountain Thrush

White's Thrush

Long-billed Thrush

Pied Ground Thrush

Orange-headed Ground Thrush

Tickell's Thrush

White-collared Blackbird Grey-winged Blackbird Chestnut Thrush

Black-throated Thrush

Mistle Thrush
Little Forktail
Black-backed Forktail

Slaty-backed Forktail Spotted Forktail

Brown Rock Chat

Chestnut-headed Tesia Grey-bellied Tesia Pale-footed Bush Warbler

Brownish-flanked Bush Warbler Chestnut-crowned Bush Warbler

Aberrant Bush Warbler Yellowish-bellied Bush Warbler

Grey-sided Bush Warbler

Bp Js Bp Ra Js

Ra Jod Js: - all 3 subspecies were seen, with opistoleuca and picata being the commonest, only a few capistrata seen.

Js: - fairly common in desert areas away

Js :- fairly common in desert areas away from Jaisalmer town.

Co NT KV Po Jo HT Sa Lg G

Del Bp Ra Jod Js Ag

Jo HT Lg G :- a summer visitor.

Co NT KV Jo Sa La Lg G

KB Jo

Co NT KV Cw Po Jo HT Dg Sa La Lg G

NT Jo HT Sa La G

Jo HT G:- this and the above species are very similar, particularly as the prominence of the wing bars seems to be variable.

KV Po Dg Sa G :- fairly common at some sites, eg. Godaveri (KV) and Po.

Jo: - 3 seen around Chitre, inc. a pair along the river in Mar. 1-2 near the stream leading from the waterfall on the west side of Ghasa.

Lg: - this exciting species was common in the Langtang Gorge below Syabru.

Bp Cw Po Da :- very common around Tiger Tops (Cw) in May. 1 in the forest at Po in Deal and Jan

Jo Lg G :- a summer visitor seen frequently from late March.

Jo Dg Sa G Jo HT La Lg G

Jo :- at least 4 birds near Tadapani on the Ghorepani-Ghandrung link.

Del NT KV Jo: - 1 in the centre of Delhi in early Feb; quite common beyond Ghorepani (Jo) in Mar, but no Redthroateds were seen.

Jo :- common around Ghorepani.

Jo Le

Sun :- 4+ seen along dryish river bed in forest area nr Sukhani.

KV Jo

NT KV Jo Lg: - Birethante (Jo) is a good site for the 3 commoner Forktails.

Del Ra Jod Co :- especially found around buildings.

KV Po Jo HT Lg

KV Po Jo HT La Lg G

Cw: - 1 seen in Feb, several singing in May mostly around Tiger Tops. Song similar to Cetti's Warbler.

NT HT Dg La

Cw :- 1 in Dec, 2+ in Feb, all in grass near to Megauli.

Co NT KV Cw Jo HT Dg Sa Lg G

KV Jo HT Sa :- found in bamboo. Has an amazing high-pitched song.

Co KV Cw Jo HT Dg Sa Lg G

Spotted Bush Warbler

Bright-capped Cisticola

Fantail Cisticola Graceful Prinia Plain Prinia Ashy Prinia Rufous Prinia Grey-breasted Prinia Rufous-fronted Prinia

Yellow-bellied Prinia Striated Prinia Jungle Prinia

Hill Prinia Grey-capped Prinia Large Grass Warbler

Common Tailorbird Striated Marsh Warbler Paddyfield Warbler

Blyth's Reed Warbler Clamorous Reed Warbler Thick-billed Warbler Booted Warbler

Orphean Warbler Lesser Whitethroat Desert Lesser Whitethroat

Desert Warbler Golden-spectacled Warbler [Seicercus sp.]

Chestnut-crowned Warbler Grey-hooded Warbler Broad-billed Warbler

Yellow-bellied Warbler Black-faced Warbler Blyth's Crowned Warbler

Greenish Warbler

Cw KT :- quite common in grassland at Megauli (Cw) in winter and 2-3 at KT. One individual at Megauli in Feb resembled Chinese or Brown but identification is difficult in the field as Spotted shows much variation. Co Cw :- quite common around Dhikala (Co) and near Bhimle (Cw). Js KV KB Cw Js KB Del Bp Ag KB Cw Del Bp Ag Cw Del

Ra Co Het Cw Da

Del Ra :- an Indian sub-continent endemic found in semi-desert.

Cw KB

Jo HT Lg G

Ra Del :- 2 around the fort at Ra, 1 at Tuglakhabad (Del).

HT La

Cw :- particularly around Tiger Tops. Cw :- common, especially in grassland near Megauli. Evidence of breeding in May. Del Bp Ra KT Cw

KT Cw :- 1-2 at Megauli (Cw), sev at KT in April.

Bp KB KT Cw Sun

Bp KT

KB KT Po

KT:- 1 seen between Jaisalmer town and the fossil park resembled this species, but Olivaceous Warbler could not be ruled out. Another Hippolais seen at Jodhpur resembled Olivaceous Warbler but gave frustratingly poor views. The first records of Olivaceous Warbler for the subcontinent have recently been documented. 1 at KT was seen on 2 consecutive days __ 5-6/4 Bp Js

Del Bp Ra Jod Js Ag

Js :- often considered conspecific with Lesser Whitethroat.

Js :- fairly common in all desert areas. Co KV Cw Po Jo Dg Sa La Lg G etc. La :- an individual resembling either White-spectacled or Grey-cheeked Warbler was seen but could not be specifically identified.

KV Po Jo HT Dg La Lg

Co NT KV Po Jo HT Dg Sa Lg G

HT Dg Sa :- the first Nepal record for some time (HT) although it is common in nearby Darjeeling. \(\frac{1}{200}\)[0]\(\frac{1}{4}\)
Cw HT: in bamboo at both sites.

KV Jo Lg

KV Cw Po Jo HT Dg Sa La Lg G :- found at lower elevations in winter.

Bp KV Cw Jo Sa Lg

Large-billed Leaf Warbler

Orange-barred Warbler Ashy-faced Warbler Pallas Warbler

Yellow-browed Warbler

Dusky Warbler Smoky Warbler

Sulphur-bellied Warbler

Tickell's Warbler Chiffchaff Brook's Leaf Warbler

Goldcrest
Stoliczka's Tit-Warbler
Large Niltava
Small Niltava
Rufous-bellied Niltava
Pale-chinned Flycatcher
Blue-throated Blue Flycatcher
Tickell's Blue Flycatcher

Pigmy Blue Flycatcher

Verditer Flycatcher

Ferruginous Flycatcher Dark-sided Flycatcher Asian Brown Flycatcher Sapphire Flyacatcher

Slaty-blue Flycatcher Ultramarine Flycatcher Little Pied Flycatcher Slaty-backed Flycatcher

Snowy-browed Flycatcher
White-gorgetted Flycatcher
Orange-gorgetted Flycatcher
Red-breasted Flycatcher
Grey-headed Flycatcher
Yellow-bellied Fantail
White-throated Fantail
White-browed Fantail

Sa La Lg G :- easily located by distinctive song "see, tee-tee, tee-tee", each phrase dropping in pitch. NT KV Jo HT Dg Sa Lg G NT KV Jo HT Sa Lg G etc. Co NT KV Po Jo HT Dg Sa La Lg G :- the case for giving the Himalayan sub-species chloronotus full specific status has recently been put forward. Del Bp Ra Jod Ag KV Cw Po :- nearly all individuals were of the distinctive subspecies humei, sometimes considered a full species. Birds resembling inornatus only seen at Cw and Godaveri (KV). KB KT Cw Po KB Cw :- fairly common at both sites, in grassland at Megauli (Cw) and especially near the Pink Tower (KB). Del :- 2 seen on walls of Tuglakhabad ruined city. NT Jo Sa La Del Bp Ra Ag Js Jod Del Bp Ra :- a tricky species to identify, being similar to Yellow-browed Warbler: note olive tinge to underparts, slightly paler rump, yellowish supercilium,, lack of obvious pale tertial fringes, frequent hovering and call similar to Olive-backed Pipit. NT Jo Jo :- fairly common beyond Tukche. HT Dg La Co KV Po Jo Lg KV Po Jo HT Dg Sa Lg G Cw Da Sun HT Sun Bp Ra :- 1 male in nursery at Bp, sev. at Jo La :- 1 female nr Ghorepani (Jo), a male at La, singing. KV Jo Po Lg G etc. :- a summer visitor to Nepal, seen from mid-March. Sa :- 1 seen just above Rimbik. KV La Lg Sun :- 3 between Ilam and Garuwa. La :- 1 male feeding in the canopy, a probable female seen briefly nearby. Co KV Cw Jo Sa Lg G HT Lg G Co Jo La Sa KV :- 1 male in Godaveri Botanical Gdns in Feb. Po La Lg G La :- 2 singing males. NT KV Po Jo HT Dg Sa La Lg G Del Bp Ra KB KT Cw Bp Jod Co KV Cw Jo Sun etc. Co NT KV Po Jo Sa La Lg G Co KV KT Cw Jo La etc. Ra Cw :- fairly common at Ra; 1 seen nr

Asian Paradise Flycatcher Black-naped Monarch Puff-throated Babbler Abbott's Babbler

Rusty-cheeked Scimitar-Babbler White-browed Scimitar-Babbler Streak-breasted Scimitar-Babbler Slender-billed Scimitar-Babbler

Scaly-breasted Wren-Babbler

Pigmy Wren-Babbler Tailed Wren-Babbler

Rufous-capped Babbler

Black-chinned Babbler Grey-throated Babbler

Rufous-bellied Babbler

Striped Tit-Babbler Red-capped Babbler Yellow-eyed Babbler Great Parrotbill

Brown Parrotbill

Fulvous Parrotbill

Black-throated Parrotbill

Spiny Babbler

Common Babbler
Striated Babbler
Slender-billed Babbler

Large Grey Babbler
Jungle Babbler
White-throated Laughing-Thrush

White-crested Laughing-Thrush Lesser Necklaced Laughing-Thrush Greater Necklaced Laughing-Thrush

Striated Laughing-Thrush Variegated Laughing-Thrush Rufous-chinned Laughing-Thrush Sauraha in May (Cw).
Cw :- common in May; mainly white males.

Cw Da Sun Cw Da Sun

Sun :- sev. seen in forest area nr Sukhani.

NT KV Jo La G

Po

Jo Dg Sa G

Dg Sa: - this amazing species was seen at Tiger Hill (Dg) and Kalopokhari (Sa) and responded well to a tape.

KV Jo Lg G :- most easily identified by distinctive rich song.

KV Po Jo HT Sa Lg G

La :- 2 seen in the ravine below the road.

HT Dg Sa La :- fairly common at all the sites.

Co NT Cw Jo

KV:- only seen on the lower slopes of Phulchowki.

Ra: - small groups seen in river beds at Ra; also 2+ seen near Ramnagar.

Cw Da Suk

Cw :- common in grassland.

Del Bp Ag Cw

Jo Sa: - 3 in a feeding flock in bamboo forest above Ghorepani (Jo) and 3 in bamboo nr Sukhani (Sa).

Sa :- 2+ in bamboo along the old road below Kalopokhari - located as they crushed the bamboo.

Sa G :- 2-3 groups around Sandakphu (Sa) and heard below Gopte.

KV Jo Dg Sa: - a small flock high up on Phulchowki (KV) in Feb; large flocks seen at Ghorepani and Ghasa (Jo) in Mar; in Dg, birds of the distinctive sub-species poliotis, with golden ear covs and crown were common at several sites.

KV Jo G:- a skulker, best located by melodious song. Tatopani (Jo) seemed a good place as was Phulchowki (KV).

Del Bp Ra Jod Js

KB Cw :- common in long grass.

Cw :- regularly seen in grass at both ends of the park.

Del Bp Ra Jod

Del Bp Ra Jod Js Ag Cw

NT KV Jo La G etc. :- very common on Phulchowki.

KV Po Jo HT

Po Cw

Sun :- similar to the previous species; eye darker, primary covs dark and breast band wider.

KV Jo HT La Lg

Jo Lg G

KV :- Phulchowki, mainly in the ravine.

Spotted Laughing-Thrush Grey-sided Laughing-Thrush

Rufous-necked Laughing-Thrush
Streaked Laughing-Thrush
Blue-winged Laughing-Thrush
Scaly Laughing-Thrush
Black-faced Laughing-Thrush
Chestnut-crowned Laughing-Thrush
Silver-eared Mesia
Red-billed Leiothrix
Fire-tailed Myzornis
Cutia

Black-headed Shrike-Babbler

White-browed Shrike-Babbler Green Shrike-Babbler Black-eared Shrike-Babbler Rusty-fronted Barwing

Hoary Barwing
Blue-winged Minla
Chestnut-tailed Minla
Red-tailed Minla

Golden-breasted Fulvetta

Yellow-throated Fulvetta

Rufous-winged Fulvetta
White-browed Fulvetta
Nepal Fulvetta
Black-capped Sibia
Whiskered Yuhina
Stripe-throated Yuhina
Rufous-vented Yuhina
White-bellied Yuhina
Black-browed Tit

Black-throated Tit Yellow-browed Tit Grey Crested Tit Rufous-vented Black Tit Spot-winged Black Tit

Coal Tit

Great Tit
Green-backed Tit
Black-lored Tit
Yellow-cheeked Tit
Velvet-fronted Nuthatch

Jo Sa Lg G :- song is an amazing duet. KV La :- regularly seen at Phulchowki (KV), and seen low at Lava. Cw :- around Tiger Tops only. NT KV Jo HT Dg Sa La Lg La :- 2 seen just above Lava village. HT Dg La Jo Sa Lg G KV Jo HT Dg Sa La Lg G Dg :- 2+ seen at Darjeeling Zoo. KV Jo Dg La Lg G :- a few around Gopte. KV La :- 2 males on Phulchowki (KV) in Dec; 2 males and a female at Lava in April. La :- a pair seen just above Lava village. KV La NT KV Jo Jo La HT La :- a small group at HT, sev sightings of 1-3 at La. KV Jo HT Sa La G Jo Sa La KV Jo HT Dg Sa La Lg G Dg Sa G :- common in Darjeeling. 2 seen on Sheopuri Ridge at the end of the Gosainkund Trek. Dg Sa :- seen at Tiger Hill (Dg) and Kalopokhari (Sa), always in or near bamboo. La :- sev seen in low vegetation often with the next species in the ravine below the road. KV Jo HT Dg Sa La Lg G KV Jo HT Dg Sa La Lg G KV Cw Jo NT KV Jo HT La Sa Lg G KV Jo HT Dg La Sa Lg G KV Jo Lg G KV Jo Lg G Co KV Cw Po Jo Jo Sa Lg G :- 1 on the ridge between Ghorepani and Deorali (Jo) in Mar; sev on the Sa; quite common on Lg and G. NT KV Jo HT Dg Sa La Lg G NT KV Jo Jo Sa Lg G Jo Sa Lg G NT Jo :- 1 in a mixed flock at Muktinath (Jo) showed characters of this species, but apparent hybrids also seen. Jo Sa Lg G :- the sub-species here has a crest. Ra Cw NT KV Po Jo La Lg G etc. NT KV Jo HT La :- several individuals seen.

Co KV Cw Da

Brahminy Starling Starling Rose-coloured Starling

Asian Pied Starling
Common Myna
Bank Myna
Jungle Myna
Hill Myna
House Sparrow
Spanish Sparrow
Cinnamon Sparrow
Tree Sparrow

Yellow-throated Sparrow
Black-breasted Weaver
Streaked Weaver
Baya Weaver
Red Avadavat
Indian Silverbill
Striated Munia
Scaly-breasted Munia

Chestnut Munia Chaffinch Red-fronted Serin Red-browed Finch

Yellow-breasted Greenfinch Goldfinch Plain Mountain Finch Trumpeter Finch Crimson Rosefinch

Dark-breasted Rosefinch Scarlet Rosefinch Beautiful Rosefinch

Pink-browed Rosefinch

Dark-rumped Rosefinch

Spot-winged Rosefinch White-browed Rosefinch Crimson-eared Rosefinch

Red-breasted Rosefinch

Crimson-browed Finch

Scarlet Finch

Del Bp Ra Jod Ag Co KT Del Bp KT :- 2 at Bp in Jan; 1 south of Kusaha (KT) in April (3rd Nepali - 4th April, betwee KT+ KB record?). Del Bp KB KT Cw etc. Common and widespread. Del Bp Ra Ag KB Cw Co KV KB KT Cw Po Jo etc. Cw Da Sun Suk Common and widespread. Bp Ra Jod NT Jo :- common on Jo. Common and widespread in Nepal and Darjeeling. Bp Ra Jod Js Cw Bp KT Cw Del Del Bp Cw Sun Del Bp KT Cw Del Bp Ra Jod Js Ag KT Cw Jo Del KT Cw :- at least 3 individuals in Delhi Zoo showed excessive green pigment, and hence superficially resembled Green Munia, but in all other respects were identical to the Scalybreasteds with which they were associating. KT :- only 1 seen. NT Jo Jo :- quite common beyond Kalopani. Jo :- a flock of 5 seen along the ridge trail from Ghorepani to Deorali on 1 date only. Po Jo HT G NT :- 2 birds only. NT Jo Sa Lg G Jo :- a pair seen in dense thorn thickets above Ghorepani. NT KV Jo Sa G Ra KV KT Sa La Lg Jo Lg :- common on the Jo from Ghorepani onwards. NT KV Jo Lg :- quite common around NT. Ghorepani and beyond (Jo). Dg Sa :- 1-2 females at Tiger Hill (Dg); sev seen around Sandakphu (Sa). Lg G :- around Kyanjin Lg) and Gopte (G). Jo :- common from Tukche up to Muktinath G :- sev seen around the Gosainkund Lakes and the Laurebina Pass. Jo :- 1 male and 2 females in thorn thickets above Ghorepani. Jo La :- 1 male between Tolka and Pokhara (Jo), 1 female in the ravine at La.

White-tailed Nuthatch Chestnut-bellied Nuthatch Wallcreeper Brown-throated Treecreeper Bar-tailed Treecreeper Rusty-flanked Treecreeper Common Treecreeper Purple Sunbird Gould's Sumbird Green-tailed Sumbird Black-throated Sunbird Crimson Sunbird Fire-tailed Sumbird Little Spiderhunter Streaked Spiderhunter Yellow-bellied Flowerpecker Pale-billed Flowerpecker Plain Flowerpecker Buff-bellied Flowerpecker Oriental White-eye Maroon Oriole Black-hooded Oriole Golden Oriole Brown Shrike Isabelline Shrike Bay-backed Shrike Long-tailed Shrike Grey-backed Shrike

Great Grey Shrike
Black Drongo
Ashy Drongo
White-bellied Drongo
Crow-billed Drongo
Bronzed Drongo
Lesser Racket-tailed Drongo

Spangled Drongo Greater Racket-tailed Drongo Ashy Woodswallow Jay Lanceolated Jay

Yellow-billed Blue Magpie

Red-billed Blue Magpie Green Magpie Rufous Treepie Grey Treepie Nutcracker Alpine Chough

Chough
House Crow
Large-billed Crow
Raven

Spot-winged Stare

Chestnut-tailed Starling

NT KV Jo HT La Lg Bp Cw Da Co Co Jo :- common on the Jomosom Trek. KV Js NT Jo Jo Sa G Jo Sa Lg G Del Bp Ra Jod Js KT Cw Jo Dg La Lg KV Po Jo HT Sa Lg G KV Jo Cw Po Jo Sun KV Jo HT Sa G Sun :- 1 bird in forest area nr Sukhani. Cw :- 1 at Tiger Tops in Dec. KV :- 1 pair low down on Phulchowki. Cw Da :- common at Da. Cw Sun Suk KV Jo La Lg Bp Ra Co KV Cw etc. NT KV Po Jo HT Co Het Cw Po Da Sun Suk etc. KT Cw Bp KB KT Het Bp :- 1 bird only. Del Bp Ra Js Del Bp Ra Js Jod KV Cw Sun KV Jo Lg G :- also an individual resembling this species at KT. Bp Js Del Bp Ra Ag KV KB KT Cw etc. Bp Cw Sun Lg etc. Bp Ra Co Cw Da Cw :- common in May. Co Cw Da Sun KV :- quite common on lower slopes of Phulchowki in spring. Co Cw Da Sun Suk etc. Da Sun KT Cw Sun KV NT :- 20+ seen in 1 day below Naini Tal town. Jo Sa Lg G :- found at higher altitude than next species. NT KV Po Jo HT Po Jo Del Bp Ra Cw KB KT KV Po Jo G Jo Sa Lg G Jo Lg :- at Muktinath (Jo) and Kyanjin (Lg). Jo Lg G Del Bp Ra Jod Js Ag KV etc. Common and widespread. Jod Js :- only definitely identified at these sites. Da Lg :- 1 single and a small flock at Dharan forest, sev. nr Trisuli Bazaar. Co Cw Po Da Sun Lg

Gold-naped Finch

Brown Bullfinch Red-headed Bullfinch Collared Grosbeak White-winged Grosbeak

Black-faced Bunting

Pine Bunting

White-capped Bunting

Rock Bunting House Bunting

Chestnut-eared Bunting

Little Bunting
Yellow-breasted Bunting
Black-headed Bunting

Crested Bunting

KV Jo Dg Sa La :- the largest group was c15 at Tiger Hill (Dg). Jo HT La Sa G Jo G Jo Lg G G :- quite common above Sing Gompa and around Gopte. KT :- quite common around the embankment nr Kusaha. Jo :- quite common in fields around Marpha and Jomosom (30+). Bp Ra :- 3 males 1 female at Bp; a few around the fort at Ra. NT Jo Jod :- 2+ of the race striolata in semi-desert behind Mandore Gdns.

semi-desert behind Mandore Gdns.
Co KB KT: - 2 males at Dhikala (Co); 2
males at KB in April and 1 male at KT.
NT Jo Sa Dg
KB KT Cw

KT:- a female Bunting sp. seen south of Kusaha in April was thought to be this species. A vagrant to Nepal.
Co KV Cw Po Jo Lg.



